Author index

Abdel-Rhaman, W. *see* Ball, D.R.
Abdul-Latif, M.S. *see* Conway, D.H.
Abildgaard, L. *see* Ekseth, K.
Absalom, A. *see* Leslie, K.
Absalom, A.R. *see* Henderson, F.
Acharya, D. *see* MacKillop, A.
Acharya, D. *see* Prasad, C.V.
Ackland, G. and Pandit, J.J. Effect of low-dose volatile anaesthetics on ventilation during acute hypoxia, 1224
Adamatti, L.C. *see* Caumo, W.
Adams, A.M. *see* Fairfield, M.
Agarwal, S. *see* Kitsberg, A.
Agnew, N.M., Pennefather, S.H. and Russell, G.N. Isoflurane and coronary heart disease, 338
Ahmed, K. *see* Atkins, M.
Ahmed, R.N. *see* Mayall, M.
Ahmed, S., Clarke, D., Vaughan, R.S. and Wheeler, M.H. An unusual case of stridor after thyroidectomy, 581
Ahn, W.-S., Bahk, J.-H., Lim, Y.-J. and Kim, Y.-C. The effect of introducer gauge, design and bevel direction on the deflection of spinal needles, 1007
Aitkenhead, A.R. *see* Byrne, A.J.
Aittomaki, J. *see* Leonard, I.E.
Akintürk, H. *see* Klein, T.F.
Al Mulla, A. *see* Mathews, S.
Albrecht, D.M. *see* Hübler, M.
Aldington, D.J. Blocked emergency syringe, 312
Alexander, J.I. Draining intraperitoneal gas after laparoscopy, 618
Alexander-Williams, J.M. *see* Ward, M.
Ali, S.Z. *see* Taguchi, A.
Allam, S. *see* Ratnasabapathy, U.
Al-Nasser, B., Négre, M. and Hubert, C. Transient neurological manifestations after epidural analgesia with ropivacaine, 306
Al-Nasser, B. Local toxicity of local anaesthetics – do experimental data apply to clinical manifestations?, 1236
Aly, E.E., Prakash, N., McLoed, T. and Gao, F. Anaesthesia for bronchoscopy, 93
Amann, A. *see* Gruber, G.
Amann, A. *see* Rieder, J.
Amin, M., Dill-Russell, P., Manisali, M., Lee, R. and Sinton, I. Facial fractures and submental tracheal intubation, 1195
Anderson, K.J. and Bhandal, N. The effect of single use laryngoscopy equipment on illumination for tracheal intubation, 773
Anderson, R. *see* Barr, G.
Andrzejowski, J. and Francis, G. The efficacy of lidocaine administered via the LITA™ tracheal tube in attenuating the extubation response in beta-blocked patients following craniotomy, 399
Andrzejowski, J. and Freeman, R. Oxygen failure alarms on modern anaesthetic machines, 931
Andrzejowski, J. and Lamb, L. The effect of swabs soaked in bupivacaine and epinephrine for pain relief following simple dental extractions in children, 281
Andrzejowski, J. *see* Palfreman, T.M.
Antonelli, M. *see* Conti, G.
Anwari, J.S. Quality of handover to the postanaesthesia care unit nurse, 488
Aoude, S. *see* Ayoub, C.
Appadurai, I.R. *see* Maloney, D.G.
Appadurai, I.R. *see* Vincent, A.
Aquilina, A. and Groves, J. A combined technique utilising regional anaesthesia and target-controlled sedation in a patient with myotonic dystrophy, 385
Asai, T., Hidaka, I., Kawashima, A., Miki, T., Inada, K. and Kawachi, S. Efficacy of catheter needles with safeguard mechanisms, 572
Asai, T., Matsumoto, S. and Shingu, K. The two different types of Macintosh laryngoscope blades, 1229
Asai, T., Murao, K. and Shingu, K. Efficacy of the ProSeal® laryngeal mask airway during manual in-line stabilisation of the neck, 918
Asai, T., Murao, K., Johmura, S. and Shingu, K. Effect of cricoid pressure on the ease of fibrescope-aided tracheal intubation, 909
Asai, T. Capnography for feeding tube placement, 292
Asai, T. Metal plate for placement of the laryngeal mask in a patient with orthodontic appliances, 827
Ashworth, H.L., Ong, C., Seed, P.T. and Venn, P.J. The influence of timing and route of administration of intravenous ketorolac on analgesia after hand surgery, 535
Asumang, A. *see* Tate, A.M.
Atkins, M., White, J. and Ahmed, K. Day surgery and body mass index: results of a national survey, 180
Atkinson, S. *see* Jenkins, K.
Attygalle, D. and Rodrigo, N. Magnesium as first line therapy in the management of tetanus: a prospective study of 40 patients, 811
Aun, C.S.T. *see* Bahk, J-H.
Aun, C.S.T. *see* Ho, A.M.-H.
Austin, J. Provision of postoperative epidural services in NHS hospitals, 778
Autio, S. *see* Kotiniemi, L.
Averley, P.A. *see* Lahoud, G.Y.
Avidan, M.S. *see* Choyce, A.
Ayoub, C., Lteif, A., Rizk, M., Khalili, Z. and Aoude, S. A peripheral nerve stimulator for nerve location controlled by the scrubbed anaesthetist, 995
Ayoub, C., Lteif, A., Rizk, M., Khalily, Z. and Aoude, S. Pump activated by a foot switch pedal for controlled administration of local anaesthetic drugs, 369
Ayoub, C.M. *see* Fischer, H.B.J.

Babb, M. and Mann, S. Disposable laryngoscope blades, 827
Babb, S., Mann, S. and Grey, D. Disposable laryngoscope blades, 286
Bacon, D. *see* Jackson, M.
Badrakumar, A., Jefferson, P. and Ball, D.R. Audit of audit ..., 311
Badsha, Z. *see* Cupitt, J.M.
Bahk, J.-H. *see* Ahn, W.-S.
Bahk, J-H., Han, S-H., Ho, A.M-H., Aun, C.S.T. and Karmakar, M.K. Margin of safety for the uncuffed tracheal tube, 936
Baigel, G.D. Emergency physicians are not anaesthetists, 1218
Bailey, A.R. *see* Cheng, C.J.C.

© 2002 Blackwell Publishing Ltd

Bajaj, V. and Comyn, D.J. Norepinephrine in the treatment of olanzapine overdose, 1040
Bajenov, S. *see* Stringer, K.R.
Bakewell, S. *see* Chidley, K.
Balachandran, S. *see* Karthikeyan, S.
Baldwin, T. *see* White, S.M.
Baldwin, T.J. *see* White, S.M.
Ball, D.R. and Abdel-Rhaman, W. Patient or PAC?, 927
Ball, D.R. and Jefferson, J.R. e-Surveys, 312
Ball, D.R. and Jefferson, P. Intubating laryngeal mask use in neck injury patients 1, 407
Ball, D.R. and Perkins, V. Hypo-osmolar Hartmann's, 200
Ball, D.R. *see* Badrakumar, A.
Ball, D.R. *see* Jefferson, P.
Ball, D.R. *see* Nutt, C.J.
Bamgbade, O. Pre-operative mouthwash – comfort for the patient, and the anaesthetist, 100
Bamgbade, O.A. The peri-operative care team: a model for outreach critical care, 1028
Baraka, A. *see* Nawfal, M.
Barclay, P. and King, H. Tattoo medi-alert, 625
Barclay, P.M. *see* Cowan, C.M.
Barke, K. *see* Saqr, L.
Barnes, P.K. *see* Mandal, N. G.
Barnes, P.K. *see* Rucklidge, M.W.M.
Barr, G., Anderson, R. and Jakobsson, J. The effects of nitrous oxide on the auditory evoked potential index during sevoflurane anaesthesia, 736
Barry, B.N. *see* Webster, L.K.
Basu, S.K., Cogliano, M., Graham, A. and Clark, V. Oxygen administration for elective Caesarean section under spinal anaesthesia, 1235
Baumgartner, P. Penicillin kills, 942
Baxendine, C.L. *see* Way, M.G.
Baxter, P. *see* Morton, G.
Beck, D.H., Smith, G.B. and Pappachan, J.V. The effects of two methods for customising the original SAPS II model for intensive care patients from South England, 785
Beck, D.H., Smith, G.B. and Taylor, B.L. The impact of low-risk intensive care unit admissions on mortality probabilities by SAPS II, APACHE II and APACHE III, 21
Bedi, A., McCarroll, C., Murray, J.M., Stevenson, M.A. and Fee, J.P.H. The effects of subanaesthetic concentrations of xenon in volunteers, 233
Bellamy, M. Anaesthesia induction rooms - sheer luxury, 187
Bellomo, R. *see* Laffey, J.G.
Bencini, A.F. *see* van Delden, P.G.
Benjamin, N. *see* Tucker, A.T.
Bennett, E.D. *see* Sirker, A.A.
Berg-Johnsen, J. *see* Ekseth, K.
Bergman, I.J., Kluger, M.T. and Short, T.G. Awareness during general anaesthesia: a review of 81 cases from the Anaesthetic Incident Monitoring Study, 549
Bergmann, J. *see* Caumo, W.
Beringer, R. and Robinson, S. A familiar asthma spacer for inhalational induction, 837
Bhandal, N. *see* Anderson, K.J.
Bhanumurthy, S. *see* Nandalan, S.P.
Bhogal, H. and Sellers, W.F.S. Pre-oxygenation, 510
Bhogal, H.S. Another use for the laryngoscope, 313
Black, J.J.M. *see* Lockey, D.J.
Black, J.J.M. *see* Sweeting, C.J.
Blanc, I. *see* Burmeister, M.A.
Bocci, M.G. *see* Conti, G.
Boden, J. *see* Carnie, J.
Bodenham, A.R. Removal of obstructing blood clot from the lower airway: an alternative suction technique, 40
de Boer, H.D., van Diejen, D., Gielen, M.J.M. and Ensink, R.J. A highly mobile laryngeal tumour: inspiratory stridor and coughing attacks, 92
de Boer, H.D. *see* Randhawa, N.
Bogod, D.G. *see* Wills, J.S.
Bokhari, F. *see* Cohen, S.
Boralessa, H., Rao, M.P., Morgan, C., Soni, N., Goldhill, D.R., Brett, S.J., Boralessa, H. and Contreras, M. A survey of physicians' attitudes to transfusion practice in critically ill patients in the UK, 584
Boralessa, H. *see* Boralessa, H.
Boralessa, H. *see* Goldhill, D.
Boralessa, H. *see* Jefferson, P.
Boralessa, H. *see* Rao, M.P.
Boulton, T.B. Surgery, Sand and Saigon Tea: an Australian Army doctor in Vietnam, 104
Boumphrey, S., Roe, J.A. A new case of airway obstruction, 293
Bowie, R. *see* Wills, J.S.
Bowler, I. *see* Farley, C.
Bowyer, D. *see* Yarrow, S.
Brauer, P. *see* Burmeister, M.A.
Bray, J.K. and Yentis, S.M. Attitudes of patients and anaesthetists to informed consent for specialist airway techniques, 1012
Bray, R.J. Propofol infusion for ICU sedation in children, 521
Brennan, A. Flush volume for a vascular access device, 195
Breslin, D.S. *see* Jenkins, K.
Breslin, D.S. *see* McBrien, M.E.
Brett, S.J. *see* Boralessa, H.
Brett, S.J. *see* Rao, M.P.
Briedé, I.S. *see* Fikkers, B.G.
Brimacombe, J. and Keller, C. Awake fibreoptic-guided insertion of the ProSeal Laryngeal Mask Airway™, 719
Brimacombe, J., Finn, B. and Keller, C. Malocclusion testing with the flexible laryngeal mask airway, 410
Brimacombe, J., Howath, A. and Keller, C. A more 'failsafe' approach to difficult intubation with the gum elastic bougie, 292
Brimacombe, J. *see* Rieder, J.
Broadhead, M. *see* Thavasothy, M.
Bromhead, H.J. and Jones, N.A. The use of anaesthetic rooms for induction of anaesthesia: a postal survey of current practice and attitudes in Great Britain and Northern Ireland, 850
Bromley, L.M. *see* Pemberton, P.L.
Broome, I.J. *see* Smith, C.
Brown, N.M. *see* Sardesai, A.M.
Brown, S. Anaesthesia and the media, 1216
Brownlow, c.H. and Grice, A. Survey of airway management equipment in day surgery, 407
Brownlow, H.A. and Sutherland, P.D. Joint disagreement, 1142
Bruce, J. Questionnaire Surveys, 1049
Bryant, A.E. *see* Nicholson, G.
Bryden, D. and Wrench, I. Swearing - another means of assessing ease of intubation!, 624
Bryden, D. *see* Whiting, P.
Bullen, K.E. *see* Earl, D.S.
Bullock, M.F.M. *see* Kluger, M.T.
Bullough, A.S. *see* Taylor, I.R.
Burchett, K. *see* Leary, T.
Burgess, G. *see* Owen, H.

© 2002 Blackwell Publishing Ltd

Burmeister, M.A., Brauer, P., Wintruff, M., Graefen, M., Blanc, I. and Standl, T.G. A comparison of anaesthetic techniques for shock wave lithotripsy: the use of a remifentanil infusion alone compared to intermittent fentanyl boluses combined with a low dose propofol infusion, 877
Burns, S.M. *see* Loughrey, Y.R.
Butler, S. *see* Rice, M.
Byhahn, C. *see* Westphal, K.
Byrne, A.J., Sellen, A.J., Jones, J.G., Aitkenhead, A.R., Hussain, S., Gilder, F., Smith, H.L. and Ribes, P. Effect of videotape feedback on anaesthetists' performance while managing simulated anaesthetic crises; a multicentre study, 176
Byrne, A.J. *see* Dyer, I.R.

Calder, I. *see* Pemberton, P.L.
Calder, I. Useless ritual, 612
Calvert, J. *see* Harding, S.A.
Cameron, D. and Onslow, J. Obstruction of airway equipment, 188
Campbell, D.I. Cardiac output determination using compliance, 1137
Campbell, D.I. Cardiac output determination using compliance, 185
Campbell, D.N.C. *see* Taylor, I.R.
Campbell, K., McAuley, D. and Judge, C. Epidural fixation, 940
Cann, C., Curran, J., Milner, T. and Ho, B. Unwanted effects of morphine-6-glucuronide and morphine, 1200
Carapiet, D. *see* Rice, M.
Carnie, J., Boden, J. and Gao Smith, F. Prediction by computerised tomography of distance from skin to epidural space during thoracic epidural insertion, 701
Carnie, J. Patient feedback on the anaesthetist's performance during the pre-operative visit, 697
Carpenter, R.H.S., Descamps, M.J.L., Morley, C.H., Leary, T.S. and Jones, J.G. The effect of low dose sevoflurane on saccadic eye movement latency, 855
Carter, J.A. *see* Earl, D.S.
Carter, J.A. *see* Zorab, J.S.M.
Caswell, M. Bowel preparations and hyperphosphataemia, 1236
Cattermole, G.N. Sniff the morning air or drink a pint of beer?, 411
Caumo, W., Hidalgo, M.P.L., Schmidt, A.P., Iwamoto, C.W., Adamatti, L.C., Bergmann, J. and Ferreira, M.B.C. Effect of pre-operative anxiolysis on postoperative pain response in patients undergoing total abdominal hysterectomy, 740
Chambers, N., Lopez, T., Thomas, J. and James, M.F.M. Remifentanil and the tunnelling phase of paediatric ventriculoperitoneal shunt insertion. A double-blind randomised, prospective study, 133
Chan, E.H. *see* Wildsmith, J.A.W.
Chan, E.H.Y. *see* Loke, G.P.Y.
Chandler, M. Tracheal intubation and sore throat: a mechanical explanation, 155
Chapman, M.V. and Wolff, A.H. Consent for anaesthesia, 710
Charles, F. *see* Péréon, Y.
Charlton, J.E. *see* Dobb, M.
Charlton, J.E. Two for the price of one - is it worth it?, 1
Chatfield, D.A. *see* Steiner, L.A.
Chawla, A.V. and Newton, N.I. Machine and monitoring failure from electrical overloading, 1134
Cheater, L. and Jameson, P. The value of airway assessment, 615
Chen, C.S. *see* Tan, P.-H.
Chen, Y.H. *see* Lee, Y.
Cheng, C.J.C., Bailey, A.R. and Walters, C. Flow reversal through the anaesthetic machine back bar: an unusual assembly fault, 86
Cheng, C.J.C., Lim, B.L. and Tan, B.S. Inadvertent catheterisation of a partial anomalous pulmonary venous channel during central venous cannulation, 198
Cheng, C.J.C., Smith, I. and Watson, B.J. A multicentre telephone survey of compliance with postoperative instructions, 805
Chidley, K. and Bakewell, S. The importance of pre-operative examination, don't let them pull the wool over your eyes!, 1043
Chileshe, B. *see* Morton, G.
Chilvers, J. and Moore, P. Spontaneous pneumothorax secondary to osteosarcoma metastasis, 620
Chinzei, M. *see* Obara, M.
Chiu, W.K.Y. *see* Kong, S.-K.
Chiu, W.K.Y. *see* Tan, C.H.
Choi, Y.-S. *see* Kim, N.-S.
Chokkra, R. *see* Cohen, S.
Choyce, A., Avidan, M.S., Harvey, A., Patel, C., Timberlake, C., Sarang, K. and Tilbrook, L. The cardiovascular response to insertion of the intubating laryngeal mask airway, 330
Chrispin, P. *see* Leary, T.
Christie, I.W. and Hill, M.R. Standardized colour coding for syringe drug labels: a National Survey, 793
Chugh, V. *see* Singh, B.
Church, J.J. Is postoperative nausea and vomiting following tonsillectomy really a problem?, 1029
Clark, M.X. *see* Cowan, C.M.
Clark, V. *see* Basu, S.K.
Clark, V.A. *see* Cogliano, M.S.
Clarke, D. *see* Ahmed, S.
Clayton, T.J. and Vanner, R.G. A novel method of measuring cricoid force, 326
Coates, M.B. Radial artery cannulation - a simple positioning aid, 311
Coe, A.J. *see* Sodhi, V.
Cogliano, M. *see* Basu, S.K.
Cogliano, M.S., Graham, A.C. and Clark, V.A. Supplementary oxygen administration for elective Caesarean section under spinal anaesthesia, 66
Cohen, S., Chokkra, R. and Bokhari, F. A simple technique to reduce the incidence of accidental dural puncture, 306
Coleman, M.M. *see* O Croinin, D.F.
Coles, J.P. *see* Steiner, L.A.
Columb, M.O. and Maguire, S. Up-and-down allocation, 300
Comyn, D.J. *see* Bajaj, V.
Conacher, I.D. *see* Renton, M.C.
Conn, D. *see* Davies, A.F.
Conti, G., Pierdominici, S., Ferro, G., Bocci, M.G., Antonelli, M. and Proietti, R. Effects of low-dose alfentanil administration on central respiratory drive and respiratory pattern in spontaneously breathing ASA 1 patients, 540
Contreras, M. *see* Boralessa, H.
Contreras, M. *see* Rao, M.P.
Conway, D.H., Mayall, R., Abdul-Latif, M.S., Gilligan, S. and Tackaberry, C. Randomised controlled trial investigating the influence of intravenous fluid titration using oesophageal Doppler monitoring during bowel surgery, 845
Cook, S. *see* Williams, D.J.
Cook, T., Nolan, J.P., Gupta, K.J. and Gabbott, D.A. The Airway Management Device (AMD) is not 'reliable and safe', 291
Cook, T.M. and Nolan, J.P. The Pro-Seal laryngeal mask airway, 288
Cook, T.M., McCormick, B. and Twigg, S. Re-usable and sheathed laryngoscope blades, 823
Cook, T.M. *see* Dix, P.

© 2002 Blackwell Publishing Ltd

Cook, T.M. *see* van der Griend, B.F.
Cooper, D.W., Garcia, E., Mowbray, P. and Millar, M.A. Patient-controlled epidural fentanyl following spinal fentanyl at Caesarean section, 266
Cooper, J. *see* Slater, R.M.
Corner, A.J. and Parry, M.G. Zyban®: anaesthetic considerations, 96
Cort, J. *see* Karthikeyan, S.
Cossham, P.S., Latto, P., Vaughan, R.S., Stacey, M.R. and Mecklenburgh, J.S. The anticlockwise twist, 824
Counsell, D.J. *see* Prasad, C.V.
Cowan, C.M., Delarghy, A., Barclay, P.M., Clark, M.X. and O'Hare, K. Epidural fixation, 514
Cowan, C.M. *see* Loughrey, Y.R.
Cox, C. *see* Watters, M.
Creasey, D.P. 'In my experience ...', 1241
Crerar-Gilbert, A.J., Kyriacou, P.A., Jones, D.P. and Langford, R.M. Assessment of photoplethysmographic signals for the determination of splanchnic oxygen saturation in humans, 442
Crockard, H.A. *see* Pemberton, P.L.
Crofts, S. *see* Levack, I.
Cróinín, D.F.O., Keogh, J. and Mardle, P. Connector mix-up on an anaesthetic machine, 1137
Crooks, B.A. *see* Murdoch, C.J.
Cross, M.H. *see* Karthikeyan, S.
Crowe, S., Fitzpatrick, G. and Jamaluddin, M.F. Use of herbal medicine in ambulatory surgical patients, 203
Crowe, S. Anaesthesia and the elderly, 501
Crowe, S. Midazolam - an anti-emetic?, 830
Cunnington, P. and Hampson-Evans, D. Airway management of a child with temporomandibular joint ankylosis following otitis media 2, 1228
Cupitt, J.M. and Badsha, Z. Temperature measurements – which method is best?, 619
Curran, J. *see* Cann, C.
Curtis, C. *see* Wilkinson, D.
Cyna, A. and Simmons, S. Call for an alternative coupling system for regional equipment, 289
Cyna, A.M. *see* Sellors, J.E.

Daniels, D. Overfilling of vaporisers, 288
Das, S. and Pearce, A. Airway management of a child with temporomandibular joint ankylosis following otitis media 1, 1227
Das, S., Pearce, A. and Yentis, S.M. Pre-operative airway evaluation, 824
Datta, S. *see* Loughrey, Y.R.
Dave, B. *see* Taguchi, A.
Davies, A.F., Vadodaria, B., Hopwood, B., Dexter, T. and Conn, D. Efficacy of microfiltration in decreasing propofol-induced pain, 557
Davies, K. *see* Matthews, G.A.
Davies, K. *see* Ni, K.M.
Dawood, A.M.S. and Digger, T. An apparently normal looking valve as a cause of rebreathing, 929
Day, Y. and Graham, D. Epidural catheter migration, 418
De Haes, A., Eleveld, D.J. and Wierda, J.M.K.H. Prolonged closed-loop control of muscle relaxation using rocuronium, 1237
Dearlove, J.C. and Dearlove, O.R. Cortical reflex myoclonus after propofol anaesthesia, 834
Dearlove, O.R. *see* Dearlove, J.C.
Delarghy, A. *see* Cowan, C.M.
Delaroche, O. *see* Lejus, C.
van Delden, P.G., Houweling, P.L., Bencini, A.F., Ephraim, E.P., Frietman, R.C., van Niekerk, J., van Stolk, M.A., Verheijen, R., Wajer, O.J.M. and Mulder, P.G.H. Remifentanil – sevoflurane anaesthesia for laparoscopic cholecystectomy: comparison of three dose regimens, 212
Demiroluk, S. *see* Salihoglu, Z.
Desai, P.J. *see* Hebballi, R.
Desbarax, P. Morton's design of the early ether vaporisers, 463
Descamps, M.J.L. *see* Carpenter, R.H.S.
Desikan, S.R. Pulmonary oedema in fit patients of African origin 1, 624
Dewhurst, A.T., Moore, S.J. and Liban, J.B. Pharmacological agents as cerebral protectants during deep hypothermic circulatory arrest in adult thoracic aortic surgery. A survey of current practice, 1016
Dexter, T. *see* Davies, A.F.
Dexter, T. *see* Drage, S.M.
Dhamrait, R.S. Christmas 'trachys', 508
Dhara, S.S., Liu, E.H.C. and Tan, K.H.S. Monitored transtracheal jet ventilation using a triple lumen central venous catheter, 578
Di Florio, T. Midazolam for PONV.What's new?, 941
Dickinson, M.C., Klein, A. and Morley, A.M. A faulty Yankauer suction catheter, 310
van Diejen, D. *see* de Boer, H.D.
van Diejen, D. *see* Randhawa, N.
Digger, T. *see* Dawood, A.M.S.
Dikmen, Y. *see* Salihoglu, Z.
Dill-Russell, P. *see* Amin, M.
Dix, P., Cook, T.M. and Morris, J. Use of thiopental for rapid sequence induction, 414
Dixon, A.K. *see* Kumta, N.D.
Dobb, M., Parker, R. and Charlton, J.E. Palliative care and pain management 2, 608
Dodd, P. Pulmonary oedema and race, 726
Dodd, T.E.L. Nasal insertion of the oesophageal Doppler probe, 412
Dollman, M. and Sellers, W.F.S. Arterial line insertion, 195
Donovan, A.D. *see* Montgomery, J.
Donovan, T. *see* Steiner, L.A.
Dow, A.C. *see* Sweeting, C.J.
Down, J.F. *see* Pemberton, P.L.
Drage, S.M., Pac Soo, C. and Dexter, T. Delayed presentation of tracheo-oesophageal fistula following percutaneous dilatational tracheostomy, 932
Dravid, R.M. *see* Pandit, J.J.
Duane, D. *see* Fisher, L.
Duane, D. *see* Mallick, A.
Durbridge, J. *see* Mandal, N.G.
Durbridge, J. *see* Rucklidge, M.W.M.
Dyer, I.R. and Byrne, A.J. Heart rate as a measure of stress during real and simulated anaesthetic emergencies, 1215

Earl, D.S., Shinde, S., Bullen, K.E. and Carter, J.A. Novel use of capnography during an awake fibreoptic intubation, 194
Earnshaw, G. *see* Ratnalikar, V.
Easby, J., McLain, B. and Jürgens, S. An unusual complication of fasting, 206
Easy, W.R. *see* Troy, A.M.
Eberhart, L.H.J., Mauch, M., Morin, A.M., Wulf, H. and Geldner, G. Impact of a multimodal anti-emetic prophylaxis on patient satisfaction in high-risk patients for postoperative nausea and vomiting, 1022
Edbrooke, D. *see* Konarzweski, W.
Edgar, P. Medium fidelity manikins and medical student teaching, 1214
Edwards, R. *see* Wilson, A.W.

© 2002 Blackwell Publishing Ltd

Ekseth, K., Abildgaard, L., Vegfors, M., Berg-Johnsen, J. and Engdahl, O. The *in vitro* effects of crystalloids and colloids on coagulation, 1102
Elcock, D.H. and Sweeney, B.P. Sevoflurane vs. isoflurane: a clinical comparison in day surgery, 52
Eldor, J. Eldor Needle for combined spinal-epidural anaesthesia, 417
Eleveld, D.J. *see* De Haes, A.
Elliot, S. *see* Sharma, A.
Elliott, S. *see* Jones, N.A.
El-Orbany, M.I. and Klowden, A.J. Factors affecting intubation conditions, 726
Elwell, C. *see* Thavasothy, M.
Emerson, B. *see* King, D.
Engdahl, O. *see* Ekseth, K.
Enlund, M. *see* Puri, G.D.
Ensink, R.J. *see* de Boer, H.D.
Ensink, R.J. *see* Randhawa, N.
Ephraim, E.P. *see* van Delden, P.G.

Fairfield, M., Adams, A.M. and Smith, A.F. Probability of winning the National Lottery, 186
Farid, A. *see* Turnbull, D.
Farley, C., Bowler, I. and Stacey, M. The left molar approach assisting fibreoptic intubation, 1031
Farling, P.A. Anaesthesia in the Magnetic Resonance Unit: a hazardous environment, 421
Farquhar-Thomson, D. Emergency physicians: additional providers of emergency anaesthesia?, 1135
Fee, J.P.H. *see* Bedi, A.
Feerick, A. *see* Patel, B.S.
Fernando, R. *see* Sodhi, V.
Ferreira, M.B.C. *see* Caumo, W.
Ferreira, M.B.C. *see* Lorenzini, C.
Ferro, G. *see* Conti, G.
Fielden, J.M. *see* Nethirasigamani, D.
Fikkers, B.G., Briedé, I.S., Verwiel, J.M.M. and van den Hoogen, F.J.A. Percutaneous tracheostomy with the Blue Rhino™ technique: presentation of 100 consecutive patients, 1094
Fikkers, B.G., Verwiel, J.M.M. and Tillmans, R.J.G.H. Percutaneous tracheostomy with the PercuTwist™ technique not so easy, 935
Findlay, G.P. *see* Roberts, R.G.
Finn, B. *see* Brimacombe, J.
Fischer, H.B.J., Ayoub, C.M., Letayf, A.M. and Rizk, M.S. Pump activated by a foot switch pedal for controlled administration of local anaesthetic drugs, 833
Fisher, L., Duane, D., Lafreniere, L. and Read, D. Percutaneous dilational tracheostomy: a safer technique of airway management using a microlaryngeal tube, 253
Fisher, L. *see* Mallick, A.
Fisher, L. *see* Tate, A.M.
Fitzpatrick, G. *see* Crowe, S.
Fletcher, T. *see* Kluger, M.T.
Floch, H. *see* Lejus, C.
Flucker, C.J.R. *see* Parker, J.L.
Flynn, C. *see* Smith, C.
Follows, V. *see* Owen, H.
Forni, L.G. *see* Guest, T.
Fouque, C. *see* Soar, J.
Francis, G. *see* Andrzejowski, J.
Freeman, R. *see* Andrzejowski, J.
Frerk, C.M. *see* Mills, S.J.
Friend, P. *see* Leary, T.S.
Frietman, R.C. *see* van Delden, P.G.
Froggatt, S.P. John Snow, Thomas Wakley, and The Lancet, 667
Frova, G. *see* Roberts, R.G.
Fuchs, D. *see* Gruber, G.
Fukui, T. *see* Rahman, M.
Furlonger, A. and Wrench, I. Accidental dural puncture and an occluded Tuohy needle, 417
Furness, G., Reilly, M.P. and Kuchi, S. An evaluation of ultrasound imaging for identification of lumbar intervertebral level, 277
Furuta, S. *see* Iwama, H.

Gabbott, D.A. *see* Cook, T.
Gaitini, L.A., Vaida, S.J., Mostafa, S. and Yanovski, B. The effect of nitrous oxide on the cuff pressure of the laryngeal tube, 506
Gallagher, L. *see* Wilkinson, D.J.
Galley, H.F., Macaulay, G.D. and Webster, N.R. Matrix metalloproteinase-9, tissue inhibitor of metalloproteinase-1 and tumour necrosis factor α release during cardiopulmonary bypass, 659
Galley, H.F. *see* Robertshaw, H.J.
Gao Smith, F. *see* Carnie, J.
Gao, F. *see* Aly, E.E.
Garcia, E. *see* Cooper, D.W.
Gardiner, J. *see* Spence, A.
Gardner, I.C. *see* Rees, S.G.O.
Gardner, M. and Janowkski, S. Detachment of the tip of a gum-elastic bougie, 88
Gardner, M. and Peachey, T. A standard XML Schema for computerised anaesthetic records, 1174
Gardner-Thorpe, D. *see* van der Griend, B.F.
Gaunt, A., Jaggar, S.I. and Morgan, C. End-tidal capnography in rigid bronchoscopy, 1039
Gbinigie, N.I. Meningococcal chemoprophylaxis for anaesthetists, 928
Geldner, G. *see* Eberhart, L.H.J.
Ghori, A., Vadodaria, B. and Lorenzini, C. Epidural ropivacaine and sufentanil, 1041
Ghori, A. Old wine in a new bottle?, 942
Gielen, M.J.M. *see* de Boer, H.D.
Gielen, M.J.M. *see* Randhawa, N.
Gilder, F. *see* Byrne, A.J.
Gill, R.S. *see* Heames, R.M.
Gilligan, S. *see* Conway, D.H.
Girdler, N.M., Lyne, J.P., Wallace, R., Neave, N., Scholey, A., Wesnes, K.A. and Herman, C. A randomised, controlled trial of cognitive and psychomotor recovery from midazolam sedation following reversal with oral flumazenil, 868
Girdler, N.M. *see* Wilson, K.E.
Girgis, Y. *see* Mills, S.J.
Girish, and Long, T.M.W. A phantom capnograph trace, 190
Girling, K.J. *see* Harrison, J.M.
Goldhill, D. and McGinley, A. Outreach critical care, 183
Goldhill, D., Boralessa, H. and Boralessa, H. Anaemia and red cell transfusion in the critically ill, 527
Goldhill, D. *see* Jefferson, P.
Goldhill, D.R. *see* Boralessa, H.
Goldhill, D.R. *see* Rao, M.P.
Goldhill, D.R. A new way of managing critical care?, 843
Gomaa, S. Yes, for updating the guidelines for day case surgey; and please stick to it, 624
Gombar, S. Head-up tilt and subarachnoid block, 1235
Gomersall, C.D. *see* Ramsay, S.J.
Goodman, N. *see* Soar, J.

© 2002 Blackwell Publishing Ltd

Goodman, N.W. Knowledge is not measured by the tools of evidence-based medicine, 1041
Goodman, N.W. Referring to earlier work would have refined conclusions, 1144
Goodwin, M. *see* Pandit, J.J.
Graefen, M. *see* Burmeister, M.A.
Graham, A. *see* Basu, S.K.
Graham, A.C. *see* Cogliano, M.S.
Graham, D. *see* Day, Y.
Gray, J.S. The anaesthetists' role on labour ward, 835
Greenbaum, R. Tracheal tube cuff pressures, 717
Greenwell, S. *see* Israni, S.
Grewal, S. Foreign language drug labelling, 942
Grey, D. *see* Babb, S.
Grice, A. *see* Brownlow, c.H.
van der Griend, B.F., Gardner-Thorpe, D. and Cook, T.M. ENT surgeon pipped at the post by the laryngeal mask airway, 1138
Grimsehl, K., Whiteside, J.B. and Mackenzie, N. Comparison of cyclizine and ondansetron for the prevention of postoperative nausea and vomiting in laparoscopic day-case gynaecological surgery, 61
Groba, C.B. *see* Yassin, J.
Grocott, M.P.W. *see* Roche, A.M.
Grounds, R.M. *see* Sirker, A.A.
Groves, J. *see* Aquilina, A.
Gruber, G., Lirk, P., Amann, A., Keller, C., Schobersberger, W., Hoffmann, G., Fuchs, D. and Rieder, J. Neopterin as a marker of immunostimulation: an investigation in anaesthetic workplaces, 747
Gruber, G. *see* Rieder, J.
Guest, T., Venn, R.V and Forni, L.G. Anions and the anaesthetist 1, 712
Gupta, A.K. *see* Leary, T.S.
Gupta, K.J. *see* Cook, T.
Gupta, S., Khan, M. and McKenna, J. Inappropriate drug labelling, 729
Gupta, S. *see* Holdsworth, C.
Gupta, S. *see* Khan, M.M.
Gwinnutt, C.L. *see* Shamir, M.

Habib, A.S. Midazolam – an anti-emetic?, 725
Hall, G.M. *see* Nicholson, G.
Hall, G.M. *see* Robertshaw, H.J.
Hall, J.E. *see* Henderson, K.A.
Hall, J.E. *see* Mehta, K.H.
Hall, J.E. *see* Sehgal, A.
Halsall, P.J. Malignant hyperpyrexia and a career in Anaesthesia, 312
van Hamel, J.C.M. *see* Taylor, I.R.
Hames, K. and Ward, M.W Use of the 'T-bag' oxygen enhancement device to improve oxygenation during single lung ventilation, 728
Hamilton, K.E.StC. *see* Jefferson, P.
Hamnegard, C.H. *see* Sawyer, R.J.
Hampson-Evans, D. *see* Cunnington, P.
Hamzaoglu, I. *see* Salihoglu, Z.
Han, S-H. *see* Bahk, J-H.
Hanaoka, K. *see* Obara, M.
Handa, F. *see* Kodaka, M.
Harban, F.M.J. *see* McNicholas, J.K.
Harban, F.M.J. Use of methoxamine in the resuscitation of epinephrine resistant electromechanical dissociation, 284
Harding, S.A., Severn, A.M. and Calvert, J. Aspirin and central neural blockade, 304
Hardy, K. Chronic pain in the UK, 714
Hariharan, S., Moseley, H.S.L. and Kumar, A.Y. Outcome evaluation in a surgical intensive care unit in Barbados, 434
Harmer, M. Academic anaesthesia - alive and kicking?, 733
Harmer, M. Editorial 2 On-line Correspondence – your chance to comment, 949
Harmer, M. Consent and Ethics in Postoperative Pain Management, 1153
Harper, N. Low Flow Anaesthesia, 103
Harrison, J.M., Girling, K.J. and Mahajan, R.P. Effects of propofol and nitrous oxide on middle cerebral artery flow velocity and cerebral autoregulation, 27
Harvey, A. *see* Choyce, A.
Harvey, N. *see* Parker, J.L.
Haslam, N. and Price, K. Anaesthesia for Stiff-Person Syndrome, 298
Hassani, A. *see* Kan, M.
Hawkins, R. *see* Tan, H.L.
Hawley, P.R. *see* Kaufman, L.
Hayman, G. *see* Leary, T.S.
Heames, R.M., Gill, R.S., Ohri, S.K. and Hett, D.A. Off-pump coronary artery surgery, 676
Hebballi, R., Desai, P.J. and Jürgens, S. Pre-operative fluid fasting for adult elective surgery, 308
Hellewell, S.A. Anaesthetic machine safety - the story continues, 192
Hempelmann, G. *see* Klein, T.F.
Hempelmann, G. *see* Müller, M.
Henderson, F., Absalom, A.R. and Kenny, G.N.C. Patient-maintained propofol sedation: a follow-up safety study using a modified system in volunteers, 387
Henderson, K.A., Raj, N. and Hall, J.E. The use of nitrous oxide in anaesthetic practice: a questionnaire survey, 1155
Henderson, S. *see* Merry, A.F.
Herman, C. *see* Girdler, N.M.
Herodes, V. *see* Scott, S.H.
Hett, D.A. *see* Heames, R.M.
Hibbert, C. *see* Konarzweski, W.
Hidaka, I. *see* Asai, T.
Hidalgo, M.P.L. *see* Caumo, W.
Hill, J.C. *see* Stanley, I.R.
Hill, M.R. *see* Christie, I.W.
Hill, S.A. Correct nomenclature for stereo isomers, 200
Hirose, Y. *see* Toyoyama, H.
Hirsh, N. *see* Thulasimani, M.
Ho, A.M.-H., Aun, C.S.T. and Karmakar, M.K. The margin of safety associated with the use of cuffed paediatric tracheal tubes, 173
Ho, A.M-H. *see* Bahk, J-H.
Ho, A.M-H. On predicting difficult intubation, 730
Ho, B. *see* Cann, C.
Hodges, P.J. and Kam, P.C.A. The peri-operative implications of herbal medicines, 889
Hoffmann, G. *see* Gruber, G.
Holdsworth, C. and Gupta, S. Is your bougie helping or hindering you?, 507
Hong, Y.W. *see* Kwak, Y.L.
van den Hoogen, F.J.A. *see* Fikkers, B.G.
Hopwood, B. *see* Davies, A.F.
Hopwood, H. *see* Ng, L.
Horgan, P.G. *see* Milne, S.E.
Hornsby, V.P.L. *see* Sodhi, V.
Horowitz, P.E. and Soni, N. Fat embolism, 830

© 2002 Blackwell Publishing Ltd

Hoskins, E. *see* Mukadam, G.A.
Houghton, K. *see* Ni, K.M.
Housden, B. *see* Kumta, N.D.
Houweling, P.L. *see* van Delden, P.G.
Howath, A. *see* Brimacombe, J.
Howell, P.R. *see* Stone, A.G.H.
Howell, T.K., Smith, S., Rushman, S.C., Walker, R.W.M. and Radivan, F. A comparison of oral transmucosal fentanyl and oral midazolam for premedication in children, 798
Hoy, A.M. Palliative care and pain management 1, 608
Hubert, C. *see* Al-Nasser, B.
Hübler, M., Litz, R.J., von Kummer, R. and Albrecht, D.M. Intrathecal air following spinal anaesthesia, 307
Huehn, W. *see* Kang, D.
Hughes, J.H. Chronic pain funding, 518
Hughes, R.L. Lost in the adenoids, 1240
Hui, T.W.C. *see* Irwin, M.G.
Hussain, S. *see* Byrne, A.J.
Hutchinson, R.C. *see* Troy, A.M.
Hutchinson, S. *see* Robson, W.P.
Hutchinson, S. *see* Turnbull, D.
Hwang, N.C. *see* Kang, D.
Hyrynkangas, K. *see* Kotiniemi, L.

Inada, K. *see* Asai, T.
Inweregbu, K. *see* Vyas, D.
Iohom, G. *see* Panadero, A.
Irwin, M.G., Hui, T.W.C., Milne, S.E. and Kenny, G.N.C. Propofol effective concentration 50 and its relationship to bispectral index, 242
Isaac, R. *see* Sodhi, V.
Israni, S. and Greenwell, S. An unexpected finding, 720
Iwama, H., Kaneko, T., Ohmizo, H., Furuta, S., Ohmori, S. and Watanabe, K. Circulatory, respiratory and metabolic changes after thigh tourniquet release in combined epidural-propofol anaesthesia with preservation of spontaneous respiration, 588
Iwamoto, C.W. *see* Caumo, W.
Iyer, G.A. *see* Mushambi, M.C.
Iyer, R. *see* Pandit, J.J.

Jackson, M., Bacon, D., Venn, R. and Wakeling, H. Peri-operative fluid management in the elderly patient, 610
Jackson, R.G.M., Samra, G.S., Schmidt, M. and Reinelt, H. Differences in the release of S100 protein during cardiopulmonary bypass, 91
Jackson, S. *see* O'Hare, K.
Jaggar, S.I. *see* Gaunt, A.
Jakobsson, J. *see* Barr, G.
Jamaluddin, M.F. *see* Crowe, S.
James, M.F.M. *see* Chambers, N.
James, M.F.M. *see* Roche, A.M.
Jameson, P. *see* Cheater, L.
Jamieson, N.V. *see* Leary, T.S.
Janes, J. *see* Mehta, K.H.
Janowkski, S. *see* Gardner, M.
Jefferson, J.R. *see* Ball, D.R.
Jefferson, P., Ball, D.R., Goldhill, D. and Boralessa, H. Blood transfusion in the critically ill, 1143
Jefferson, P., Ogbue, M.N., Hamilton, K.E.StC. and Ball, D.R. A survey of the use of portable ultrasound for central vein cannulation on critical care units in the UK, 365
Jefferson, P. *see* Badrakumar, A.
Jefferson, P. *see* Ball, D.R.
Jefferson, P. *see* Nutt, C.J.
Jenkins, K., Wake, P.J., McBrien, M.E., Breslin, D.S., Atkinson, S. and Johnston, J.R. Cement implantation syndrome, 416
Johmura, S. *see* Asai, T.
Johnson, R.K. and Mortimer, A.J. Routine pre-operative blood testing: is it necessary?, 914
Johnson, R.V. *see* Pollard, A.
Johnston, J.R. *see* Jenkins, K.
Jones, D.P. *see* Crerar-Gilbert, A.J.
Jones, J.G. *see* Byrne, A.J.
Jones, J.G. *see* Carpenter, R.H.S.
Jones, K. *see* Leonard, I.E.
Jones, N.A., Elliott, S. and Knight, J. A comparison between midazolam co-induction and propofol predosing for the induction of anaesthesia in the elderly, 649
Jones, N.A. *see* Bromhead, H.J.
Jones, N.A. *see* Thomas, R.
Jones, R.M. *see* Roberts, R.G.
Joshi, P. and Thomas, D.I. The influence of abdominoplasty surgery on assessment of level of subarachnoid block, 515
Judge, C. *see* Campbell, K.
Junger, A. *see* Klein, T.F.
Jürgens, S. and Krishna, M. Low-dose remifentanil infusions for major spinal surgery, 724
Jürgens, S. *see* Easby, J.
Jürgens, S. *see* Hebballi, R.

Kadam, U. *see* Sicinski, M.A.
Kakodkar, P.S. New Deal and manpower requirements – a simplified formula, 611
Kam, P.C.A. and Liew, S. Traditional Chinese herbal medicine and anaesthesia, 1083
Kam, P.C.A. *see* Hodges, P.J.
Kam, P.C.A. *see* Rose, M.A.
Kan, M. and Hassani, A. A case of airway obstruction, 937
Kaneda, K. *see* Saitoh, Y.
Kaneko, T. *see* Iwama, H.
Kang, D., Hwang, N.C. and Huehn, W. Phantom anaesthetic vapour, 191
Kannan, S. and Sinclair, S. Spurious ventilator triggering in a dead patient, 721
Karmakar, M.K. *see* Bahk, J-H.
Karmakar, M.K. *see* Ho, A.M.-H.
Karthikeyan, S., Balachandran, S., Cort, J., Cross, M.H. and Parsloe, M. Anaesthesia for cardioversion. A comparison of sevoflurane and propofol, 1114
Katyal, S. *see* Narula, N.
Kaufman, L. and Hawley, P.R. Compartment syndrome, 188
Kaul, T.K. *see* Narula, N.
Kawachi, S. *see* Asai, T.
Kawasaki, C. *see* Kawasaki, T.
Kawasaki, J. *see* Kodaka, M.
Kawasaki, T., Sata, T., Kawasaki, C., Ogata, M. and Shigematsu, A. Airway management of a child with temporomandibular joint ankylosis following otitis media, 294
Kawashima, A. *see* Asai, T.
Kelleher, A.A. *see* Williams, D.J.
Keller, C. *see* Brimacombe, J.
Keller, C. *see* Gruber, G.
Keller, C. *see* Rieder, J.
Kenny, G.N. *see* Troy, A.M.
Kenny, G.N.C. *see* Henderson, F.
Kenny, G.N.C. *see* Irwin, M.G.

© 2002 Blackwell Publishing Ltd

Kenny, G.N.C. *see* Leslie, K.
Kenny, G.N.C. *see* Milne, S.E.
Keogh, J. *see* Cróinín, D.F.O.
Kerr, J. and Skinner, A. Supervision of trainee anaesthetists: a survey of opinions and practices, 76
Khalili, Z. *see* Ayoub, C.
Khalily, Z. *see* Ayoub, C.
Khan, M. *see* Gupta, S.
Khan, M.M., Gupta, S., Radford, P. and Male, D.A. Dose of oxytocin after Caesarean section, 723
Kilner, A.J. *see* Ryan, D.W.
Kim, N.-S., Lee, I.-O., Lee, M.-K., Lim, S.-H., Choi, Y.-S. and Kong, M.-H. The effects of β2 adrenoceptor gene polymorphisms on pressor response during larygoscopy and tracheal intubation, 227
Kim, Y.-C. *see* Ahn, W.-S.
King, D. and Emerson, B. Breathing system obstruction from intravenous giving set caps, 505
King, H. *see* Barclay, P.
Kinsella, S.M. *see* Rees, S.G.O.
Kitsberg, A. and Agarwal, S. Not so free flowing, 1143
Kitsberg, A. and Phillips, J.A.J. Not quite crystal clear, 302
Klein, A. and Mathew, M. An alternative suctioning technique, 507
Klein, A. *see* Dickinson, M.C.
Klein, T.F., Osmer, C., Müller, M., Junger, A., Akintürk, H. and Hempelmann, G. The effect of a pre-operative infusion of Ringer's solution on splanchnic perfusion in patients undergoing coronary artery bypass grafting, 756
Klinck, J.R. *see* Leary, T.S.
Klowden, A.J. *see* El-Orbany, M.I.
Kluger, M.T. and Bullock, M.F.M. Recovery room incidents: a review of 419 reports from the Anaesthetic Incident Monitoring Study (AIMS), 1060
Kluger, M.T., Watson, D., Laidlaw, T.M. and Fletcher, T. Personality testing and profiling for anaesthetic job recruitment: attitudes of anaesthetic specialists/consultants in New Zealand and Scotland, 116
Kluger, M.T. *see* Bergman, I.J.
Knell, P.J.W., Norman, B.J. Pulmonary oedema in fit patients of African origin 2, 624
Knight, J. *see* Jones, N.A.
Kodaka, M., Handa, F., Kawasaki, J. and Miyao, H. Cp50 of propofol for laryngeal mask airway insertion using predicted concentrations with and without nitrous oxide, 956
Komatsu, K. *see* Obara, M.
Konarzweski, W., Hibbert, C. and Edbrooke, D. Intensive care costs, 183
Kong, A. *see* Leary, T.
Kong, M.-H. *see* Kim, N.-S.
Kong, S.-K., Onsiong, S.M.K., Chiu, W.K.Y. and Li, M.K.W. Use of intrathecal morphine for postoperative pain relief after elective laparoscopic colorectal surgery, 1168
Kopka, A. The introduction of cricoid pressure, 827
Kotiniemi, L., Autio, S. and Hyrynkangas, K. Anaesthetic history of a patient: 250 anaesthetics in 30 years, 207
Krishna, M. *see* Jürgens, S.
Kristensen, M., Yentis, S.M. Predicting difficult intubation 2, 613
Kuchi, S. *see* Furness, G.
Kuczkowski, K.M. Respiratory arrest in a parturient following intrathecal administration of fentanyl and bupivacaine as part of a combined spinal-epidural analgesia for labour, 939
Kuczkowski, K.M. Seizures on emergence from sevoflurane anaesthesia for Caesarean section in a healthy parturient, 1234
Kuehne, J. Outreach critical care is not the solution, 183
Kumar, A.Y. *see* Hariharan, S.
von Kummer, R. *see* Hübler, M.
Kumta, N.D., Park, G., Toms, A., Housden, B. and Dixon, A.K. Body computed tomography in critically ill patients, 544
Kurz, A. *see* Taguchi, A.
Kwak, Y.L., Lee, C.S., Park, Y.H. and Hong, Y.W. The effect of phenylephrine and norepinephrine in patients with chronic pulmonary hypertension, 9
Kyriacou, P.A. *see* Crerar-Gilbert, A.J.

Lack, J.A. Another airway foreign body, 189
Laffey, J.G., Story, D., Poustie, S. and Bellomo, R. Acid-base disorders in the critically ill, 198
Lafreniere, L. *see* Fisher, L.
Lahoud, G.Y. and Averley, P.A. Comparison of sevoflurane and nitrous oxide mixture with nitrous oxide alone for inhalation conscious sedation in children having dental treatment: a randomised controlled trial, 446
Lahoud, G.Y.G. Reflection; end of an era and a new beginning!, 412
Laidlaw, T.M. *see* Kluger, M.T.
Lake, A.P.J. Sevoflurane vs. isoflurane: a clinical comparison in day surgery, 621
Lamb, L. *see* Andrzejowski, J.
Lan, K.C. *see* Tan, P.-H.
Langford, R. All in the name of progress, 313
Langford, R.M. *see* Crerar-Gilbert, A.J.
Lanigan, C.J. Safer epidural and spinal connectors, 567
Latto, I.P., Stacey, M., Mecklenburgh, J. and Vaughan, R.S. Survey of the use of the gum elastic bougie in clinical practice, 379
Latto, P. *see* Cossham, P.S.
Laurence, A.S. *see* Stanley, I.R.
Lawler, P.G. *see* Morgan, G.A.R.
Laxenaire, M.C. *see* Mertes, P.M.
Le Poidevin, R. *see* Mayall, M.
Le Poidevin, R. *see* Perkins, R.
Le Roux, C. *see* Lejus, C.
Leary, T., Ridley, S., Burchett, K., Kong, A., Chrispin, P. and Wright, M. Assesssing Critical Care Unit Performance: a global measure using graphical analysis, 751
Leary, T.S., Klinck, J.R., Hayman, G., Friend, P., Jamieson, N.V. and Gupta, A.K. Measurement of liver tissue oxygenation after orthotopic liver transplantation using a multiparameter sensor. A pilot study, 1128
Leary, T.S. *see* Carpenter, R.H.S.
Lechner, T.J.M., van Wijk, M.G.F. and Maas, A.J.J. Clinical results with a new acoustic device to identify the epidural space, 768
Lee, .M.-K. *see* Kim, N.-S.
Lee, C.S. *see* Kwak, Y.L.
Lee, I.-O. *see* Kim, N.-S.
Lee, R. *see* Amin, M.
Lee, Y., Lin, Y.S. and Chen, Y.H. The effect of dexamethasone upon patient-controlled analgesia-related nausea and vomiting, 705
Legendre, E. *see* Lejus, C.
Lejus, C., Delaroche, O., Le Roux, C., Legendre, E., Rivault, O., Floch, H., Renaudin, M. and Pinaud, M. The effect of sevoflurane on serum cholinesterase in children, 44
Leng, C.P. Cheese, drug labels and anaesthetic room error, 204
Leonard, I.E., Weitkamp, B., Jones, K., Aittomaki, J. and Myles, P.S. Measurement of systemic oxygen uptake during low-flow anaesthesia with a standard technique vs. a novel method, 654

© 2002 Blackwell Publishing Ltd

Leschinskiy, D.M. Alpha-agonists use in cardiac arrest, 414
Leslie, K., Absalom, A. and Kenny, G.N.C. Closed loop control of sedation for colonoscopy using the Bispectral Index, 693
Letayf, A.M. *see* Fischer, H.B.J.
Levack, I., Crofts, S. and Tait, I. Target-controlled infusions of propofol and remifentanil with closed-loop anaesthesia for hepatic resection, 517
Li, C.Y. and Mayall, M.F. Recording the confirmation of nasogastric tube placement, 308
Li, M.K.W. *see* Kong, S.-K.
Liban, J.B. *see* Dewhurst, A.T.
Liew, Q.Y. *see* Tan, H.L.
Liew, S. *see* Kam, P.C.A.
Lim, B.L. *see* Cheng, C.J.C.
Lim, M. A-Q alphabetic anaesthetic assessment algorithm, 205
Lim, M. Manpower requirements when implementing a partial shift system for anaesthetic juniors, 185
Lim, S.-H. *see* Kim, N.-S.
Lim, Y.-J. *see* Ahn, W.-S.
Lin, C.R. *see* Tan, P.-H.
Lin, Y.-C. Patient controlled analgesia (PCA), nurse controlled analgesia (NCA), or epidural controlled analgesia (ECA), 518
Lin, Y.S. *see* Lee, Y.
Lindsay, W.A. *see* Stewart, A.
Ling, A. *see* Rucklidge, M.W.M.
Linton, N. Cardiac output determination using vascular compliance, 715
Lirk, P. *see* Gruber, G.
Lirk, P. *see* Rieder, J.
Lischeke, V. *see* Westphal, K.
Litz, R.J. *see* Hübler, M.
Liu, E.H.C. *see* Dhara, S.S.
Lloret, J. *see* Vilà, R.
Lockey, D.J. and Black, J.J.M. Emergency physicians: additional providers of emergency anaesthesia?, 629
Lockey, D.J. *see* Sweeting, C.J.
Loh, M.W. *see* Tan, T.S.
Loke, G.P. *see* Wildsmith, J.A.W
Loke, G.P.Y., Chan, E.H.Y. and Sia, A.T.H. The effect of 10° head-up tilt in the right lateral position on the systemic blood pressure after subarachnoid block for Caesarean section, 169
Long, T.M.W. *see* Girish,
Lönnqvist, P.A. *see* Tighe, S.Q.M.
Loo, S. *see* Tan, H.L.
Lopez, T. *see* Chambers, N.
Lorenzini, C., Moreira, L.B. and Ferreira, M.B.C. Efficacy of ropivacaine compared with ropivacaine plus sufentanil for postoperative analgesia after major knee surgery, 424
Lorenzini, C. *see* Ghori, A.
Loughrey, Y.R., Datta, S., Tsen, L.C., Wilkes, R.G., Burns, S.M. and Cowan, C.M. Hypotenson prophylaxis for Caesarean section, 302
Lteif, A. *see* Ayoub, C.
Lyne, J.P. *see* Girdler, N.M.

Maas, A.J.J. *see* Lechner, T.J.M.
McArdle, B.H. *see* Smith, R.P.R.
McAteer, P. *see* Zorab, J.A.
Macaulay, G.D. *see* Galley, H.F.
McAuley, D. *see* Campbell, K.
McBride, C. *see* McBrien, M.E.
McBrien, M.E., Breslin, D.S. and McBride, C. When they got there the cupboard was bare, 209
McBrien, M.E. *see* Jenkins, K.
McCarroll, C. *see* Bedi, A.
McCluskey, A. *see* Shamir, M.
McCormick, B. *see* Cook, T.M.
Macdonald, I.A. *see* Nicholson, G.
McEvoy, L. *see* MacLeod, D.M.
McGarrity, L. Wound botulism in injecting drug users, 301
McGinley, A. *see* Goldhill, D.
McHugh, G.A. and Thoms, G.M.M. The management of pain following day-case surgery, 270
Mackay, N. *see* Panadero, A.
McKenna, J. *see* Gupta, S.
Mackenzie, N. *see* Grimsehl, K.
McKiernan, E.P. *see* Mills, S.J.
MacKillop, A. and Acharya, D. Overcoming difficulties with percutaneous tracheostomy, 204
MacLachlan, K. *see* Pandit, J.J.
McLain, B. *see* Easby, J.
MacLeod, D.M., McEvoy, L. and Walker, D. Report of vaporiser malfunction, 299
McLoed, T. *see* Aly, E.E.
McLoughlin, L. *see* Smith, N.
McNicholas, J.K. and Harban, F.M.J. Evaluation of the Pneupac Ventipac portable ventilator in critically ill patients (1), 295
Macpherson, D. *see* Wilson, A.W.
McSwiney, M., Mather, C. and Prys-Roberts, C. Isolated systolic hypertension, 606
McSwiney, M. *see* Sale, S.
Maguire, A.M. *see* Parker, J.L.
Maguire, S. *see* Columb, M.O.
Mahajan, R.P. *see* Harrison, J.M.
Mahon, S. *see* Morton, G.
Maile, C.J.D. Persistent cough following target-controlled infusion (TCI) with propofol, 202
Makings, E. *see* Tucker, A.T.
Male, D.A. *see* Khan, M.M.
Malinovsky, J.-M. *see* Péréon, Y.
Mallick, A., Read, D., Duane, D. and Fisher, L. Airway management is simpler with the existing tracheal tube, 1138
Mallick, A. *see* Sharma, A.
Maloney, D.G., Appadurai, I.R. and Vaughan, R.S. Anions and the anaesthetist, 140
Mandal, N.G., Yentis, S.M., Barnes, P.K., Durbridge, J. and Rucklidge, M.W.M. Glycopyrronium and hypotension following combined spinal-epidural anaesthesia, 513
Mandel, N.G. Consequences of cuff pressure, 717
Mangat, P.S. *see* Ratnalikar, V.
Manisali, M. *see* Amin, M.
Mann, S. *see* Babb, M.
Mann, S. *see* Babb, S.
Mardle, P. *see* Cróinín, D.F.O.
Marx, T. *see* Schmidt, M.
Marx, T. Error in calculations, 518
Mather, C. *see* McSwiney, M.
Mathew, D.J. *see* Webster, C.S.
Mathew, M. *see* Klein, A.
Mathews, S., Al Mulla, A., Varghese, P.K., Radim, K. and Mumtaz, S. Postanaesthetic shivering - a new look at tramadol, 394
Matsumoto, S. *see* Asai, T.
Matthews, G.A. and Davies, K. An audit of the use of low molecular weight heparin and epidural anaesthesia, 305
Matthews, P.C. *see* Sturgess, J.E.
Mauch, M. *see* Eberhart, L.H.J.

© 2002 Blackwell Publishing Ltd

May, A.E. and Yentis, S.M. Up, up and away: watching the Caesarean section rate rise, 317
Mayall, M., Ahmed, R.N. and Le Poidevin, R. Different scavenging connections on Bain circuits, 1219
Mayall, M.F. *see* Li, C.Y.
Mayall, R. *see* Conway, D.H.
Mearns, C.A. A talisman to ward off the bad anaesthetics, 943
Mecklenburgh, J. *see* Latto, I.P.
Mecklenburgh, J.S. *see* Cossham, P.S.
Medlock, K. and Thomas, M. Not so rare Internet sites, 520
Mehta, K.H., Turley, A., Peyrasse, P., Janes, J. and Hall, J.E. An assessment of the ability of impedance respirometry distinguish oesophageal from tracheal intubation, 1090
Menon, D.K. *see* Sardesai, A.M.
Menon, D.K. *see* Steiner, L.A.
Merry, A.F., Webster, C.S., Weller, J., Henderson, S. and Robinson, B. Evalutaion in an anaesthetic simulator of a prototype of a new drug administration system designed to reduce error, 256
Merry, A.F. *see* Webster, C.S.
Mertes, P.M. and Laxenaire, M.C. Unrecognised fatal anaphylactic reaction to propofol or fentanyl, 821
Michel, M.Z.M. *see* Sanders, M.K.
Miki, T. *see* Asai, T.
Milanov, S. *see* Raper, S.
Millar, M.A. *see* Cooper, D.W.
Miller, C.D. *see* Murdoch, C.J.
Mills, G.H. *see* Sawyer, R.J.
Mills, G.H. *see* Turnbull, D.
Mills, S.J., McKiernan, E.P., Girgis, Y. and Frerk, C.M. Halothane vs. sevoflurane in the difficult airway, 193
Mills, S.J., Molberg, K. A critical incident: manufacturing of human error?, 94
Mills, S.J. *see* O'Hare, K.
Milne, S.E., Horgan, P.G. and Kenny, G.N.C. Target-controlled infusions of propofol and remifentanil with closed-loop anaesthesia for hepatic resection, 93
Milne, S.E. *see* Irwin, M.G.
Milner, T. *see* Cann, C.
Minto, G. *see* Ward, M.
Miyao, H. *see* Kodaka, M.
Moise, S.F., Sinclair, C.J. and Scott, D.H.T. Pulmonary artery blood temperature and the measurement of cardiac output by thermodilution, 562
Mok, M. National Anaesthesia Day activities, 418
Molberg, K. *see* Mills, S.J.
Monk, C. *see* Watters, M.
Montgomery, J. and Donovan, A.D. Postoperative pain relief in the day surgery unit, 727
Montgomery, J. *see* Ni, K.M.
Moore, P. *see* Chilvers, J.
Moore, S.J. *see* Dewhurst, A.T.
Moran, C. *see* Spence, A.
Moreira, L.B. *see* Lorenzini, C.
Morgan, C. *see* Boralessa, H.
Morgan, C. *see* Gaunt, A.
Morgan, C. *see* Rao, M.P.
Morgan, G.A.R. and Lawler, P.G. The acute pain service, a model for outreach critical care, 404
Morgan, P. *see* Roberts, R.G.
Morin, A.M. *see* Eberhart, L.H.J.
Morley, A.M. *see* Dickinson, M.C.
Morley, C.H. *see* Carpenter, R.H.S.
Morris, C. Activated protein C in the treatment of sepsis, 502
Morris, C. Intubating laryngeal mask use in neck injury patients 2, 409
Morris, C.J. Prolonged pre-operative fluid fasting, 406
Morris, E.A.J. *see* Pickard, S.G.
Morris, J. *see* Dix, P.
Mortimer, A.J. *see* Johnson, R.K.
Morton, G. and Mahon, S. The 'facial flashing' of aortic regurgitation, 501
Morton, G., Chileshe, B. and Baxter, P. Gum elastic bougie in the hole technique, 1037
Moseley, H.S.L. *see* Hariharan, S.
Mostafa, S. *see* Gaitini, L.A.
Mowbray, P. *see* Cooper, D.W.
Mukadam, G.A. and Hoskins, E. Aberrant brachio-cephalic artery precluding placement of tracheostomy, 297
Mulder, P.G.H. *see* van Delden, P.G.
Müller, M., Schindler, E., Roth, S., Schürholz, A., Vollerthun, M. and Hempelmann, G. Effects of desflurane and isoflurane on intestinal tissue oxygen pressure during colorectal surgery, 110
Müller, M. *see* Klein, T.F.
Mumtaz, S. *see* Mathews, S.
Munar, F. *see* Vilà, R.
Murakawa, M. *see* Saitoh, Y.
Murao, K. *see* Asai, T.
Murdoch, C.J., Crooks, B.A. and Miller, C.D. Effect of the addition of ketamine to morphine in patient-controlled analgesia, 484
Murray, J.M. *see* Bedi, A.
Murthy, B.V.S. Head-up tilt and subarachnoid block for Caesarean section, 940
Mushambi, M.C. and Iyer, G.A. Gum elastic bougies, 727
Mushambi, M.C. Analgesia, anaesthesia and Pregnancy. A Practical Guide, 102
Mussini, J.-M. *see* Péréon, Y.
Myles, P.S. *see* Leonard, I.E.
Mythen, M.G. *see* Roche, A.M.

Nagi, H. Blocked epidural catheter, 1236
Nalwaya, P. and Sellers, W.F.S. Better skin incision for Seldinger dilator insertion, 313
Nandalan, S.P. and Bhanumurthy, S. Use of cuffed oropharyngeal airway in a case of sleep apnoea, 1036
Narula, N., Katyal, S., Singh, A., Kaul, T.K. and Sood, D. Deceptively well kept beard – seeks attention, 822
Nath, G. and Yentis, S. Predicting difficult intubation – any one test is not enough, 1226
Navapurkar, V.U. *see* Shankar, R.
Nawfal, M. and Baraka, A. Propofol for relief of extubation laryngospasm, 1036
Neave, N. *see* Girdler, N.M.
Négre, M. *see* Al-Nasser, B.
Nethirasigamani, D. and Fielden, J.M. Pre-operative optimisation of high risk surgical patients, 405
Newton, K.M. and Orlikowski, C.E.P. Warning stickers and epidural haematomas, 98
Newton, N.I. *see* Chawla, A.V.
Ng, H.P. *see* Tan, T.S.
Ng, L. and Hopwood, H. Colour coding for piped Entonox hoses, 406
Nguyen The Tich, S. *see* Péréon, Y.
Ni, K.M., Watts, J.C., Davies, K., Houghton, K. and Montgomery, J. Obesity and day-case surgery in an isolated unit, 290

© 2002 Blackwell Publishing Ltd

Ni, K.M., Watts, J.C.W and Panditaratne, S.S. An important differential diagnosis of pneumothorax, 828
Nicholson, G., Bryant, A.E., Macdonald, I.A. and Hall, G.M. Osteocalcin and the hormonal, inflammatory and metabolic response to major orthopaedic surgery, 319
Nicol, G. Preventing rubber stopper coring, 207
van Niekerk, J. *see* van Delden, P.G.
Nightingale, A. *see* Parry, N.S.
Nightingale, C.E. Aseptic precautions for epidural insertion, 1042
Niskanen, M.M. and Ruokonen, E.T. Association between intra-operative incidents and postoperative outcome and resource utilisation, 1052
Nolan, J.P. *see* Cook, T.
Nolan, J.P. *see* Cook, T.M.
Norman, B.J. *see* Knell, P.J.W.
Norman, B. The incidence of pulmonary oedema in fit patients of African origin, 206
Nutt, C.J., Jefferson, P. and Ball, D.R. Switching on to ultrasound, 411

O Croinin, D.F., Coleman, M.M., Pandit, J.J. and Popat, M. The Trachlight® compared to laryngeal mask airway assisted intubation, 715
O'Sullivan, C. *see* Pemberton, P.L.
Obara, M., Sawamura, S., Chinzei, M., Komatsu, K. and Hanaoka, K. Anaesthetic management of a patient with Stiff-person syndrome, 511
Ogata, M. *see* Kawasaki, T.
Ogbue, M.N. *see* Jefferson, P.
O'Hare, K., Jackson, S., Mills, S.J. and Tomlinson, A.A. Central lines and cerebral aneurysm surgery, 90
O'Hare, K. *see* Cowan, C.M.
Ohmizo, H. *see* Iwama, H.
Ohmori, S. *see* Iwama, H.
Ohri, S.K. *see* Heames, R.M.
O'Neil, M.J. Laryngeal mask obstruction, 717
Ong, C. *see* Ashworth, H.L.
Onisong, M.K. *see* Tan, C.H.
Onsiong, S.M.K. *see* Kong, S.-K.
Onslow, J. *see* Cameron, D.
Orlikowski, C.E.P. *see* Newton, K.M.
Orlikowski, C.E.P. *see* Rucklidge, M.W.M.
Osmer, C. *see* Klein, T.F.
Owen, H., Follows, V., Reynolds, K.J., Burgess, G. and Plummer, J. Learning to apply effective cricoid pressure using a part task trainer, 1098

Pac Soo, C. *see* Drage, S.M.
Paksoy, M. *see* Salihoglu, Z.
Palfreman, T. *see* Wakeling, H.G.W
Palfreman, T.M., Wakeling, H.G. and Andrzejowski, J. Attenuation of cardiovascular and cough reflexes during extubation, 1034
Panadero, A., Iohom, G., Taj, J., Mackay, N. and Shorten, G. A dedicated intravenous cannula for postoperative use. Effect on incidence and severity of phlebitis, 921
Pandit, J.J., Dravid, R.M., Iyer, R. and Popat, M.T. Orotracheal fibreoptic intubation for rapid sequence induction of anaesthesia, 123
Pandit, J.J., MacLachlan, K., Dravid, R.M. and Popat, M.T. Comparison of times to achieve tracheal intubation with three techniques using the laryngeal or intubating laryngeal mask airway, 128
Pandit, J.J., Schmelzle-Lubiecki, B., Goodwin, M. and Saeed, N. Bispectral index-guided management of anaesthesia in permanent vegetative state, 1190
Pandit, J.J. *see* Ackland, G.
Pandit, J.J. *see* O Croinin, D.F.
Pandit, J.J. The intubating laryngeal mask airway as a guide to fibreoscopy, 410
Pandit, J.J. The variable effect of low-dose volatile anaesthetics on the acute ventilatory response to hypoxia in humans: a quantitative review, 632
Panditaratne, S.S. *see* Ni, K.M.
Pappachan, J.V. *see* Beck, D.H.
Papp-Jambor, C. *see* Schmidt, M.
Park, G. *see* Kumta, N.D.
Park, G.R. *see* Raper, S.
Park, Y.H. *see* Kwak, Y.L.
Parker, J.L., Flucker, C.J.R., Harvey, N., Maguire, A.M., Russell, W.C. and Thompson, J.P. Comparison of external jugular and central venous pressures in mechanically ventilated patients, 596
Parker, R. *see* Dobb, M.
Parry, M.G. *see* Corner, A.J.
Parry, N.S. and Nightingale, A. A simple way to reduce heat loss form the head, 1043
Parsloe, M. *see* Karthikeyan, S.
Patel, A. *see* Randhawa, N.
Patel, B.S. and Feerick, A. Will competency assessment improve the training and skills of the trainee anaesthetist?, 711
Patel, C. *see* Choyce, A.
Peachey, T. *see* Gardner, M.
Pearce, A. *see* Das, S.
Pemberton, P.L., Calder, I., O'Sullivan, C. and Crockard, H.A. The champagne angle, 402
Pemberton, P.L., Down, J.F., Porter, J.B. and Bromley, L.M. A retrospective observational study of pre-operative sickle cell screening, 334
Pennefather, S.H. *see* Agnew, N.M.
Péréon, Y., Nguyen The Tich, S., Mussini, J.-M., Charles, F. and Malinovsky, J.-M. Neurophysiological investigation of neurological complication after regional anaesthesia, 416
Perkins, R., Ramachandran, K. and Le Poidevin, R. Circuit obstruction – is there a foolproof way?, 1221
Perkins, V. *see* Ball, D.R.
Perks, D. *see* Walker, C.
Peruansky, M. *see* Shamir, M.
Peters, M. *see* Thavasothy, M.
Peyrasse, P. *see* Mehta, K.H.
Pfitzner, J. A new clinical sign during one-lung anaesthesia: fact or fiction?, 294
Phillips, J.A.J. *see* Kitsberg, A.
Picard, J. Awake or asleep, 1233
Pickard, S.G. and Morris, E.A.J. Spinal opioids, midazolam and antiemesis, 941
Pickworth, A.J. Offensive material?, 838
Pierdominici, S. *see* Conti, G.
Pinaud, M. *see* Lejus, C.
Pirotta, D. and Sprigge, J. Convulsions following axillary brachial plexus blockade with levobupivacaine, 1187
Pittard, A. *see* Vyas, D.
Plummer, J. *see* Owen, H.
Pogson, D.G. *see* Shirley, P.J.
Pollard, A. and Johnson, R.V. Assessment of correct central venous line placement, 1223
Pollock, H. A possible cause of corneal abrasions, 310

© 2002 Blackwell Publishing Ltd

Popat, M. *see* O Croinin, D.F.
Popat, M.T. *see* Pandit, J.J.
Porter, J.B. *see* Pemberton, P.L.
Poustie, S. *see* Laffey, J.G.
Poustie, S. *see* Story, D.A.
Prakash, N. *see* Aly, E.E.
Prasad, C.V., Acharya, D. and Counsell, D.J. Outreach critical care services, 284
Prasad, V., Till, C.B.W. and Smith, A. Midazolam – an anti-emetic?, 415
Price, K. *see* Haslam, N.
Proietti, R. *see* Conti, G.
Prys-Roberts, C. *see* McSwiney, M.
Puri, G.D. and Enlund, M. A new device to reduce consumption of a halogenated anaesthetic agent, 719

Quintel, M. *see* Roberts, R.G.

Radford, P. *see* Khan, M.M.
Radim, K. *see* Mathews, S.
Radivan, F. *see* Howell, T.K.
Rahman, M., Sakamoto, J. and Fukui, T. Research output in anaesthesia: a quantitative ranking, 1213
Raj, N. *see* Henderson, K.A.
Ramachandran, K. *see* Perkins, R.
Ramaswamy, S. *see* Thulasimani, M.
Ramsay, S.J. and Gomersall, C.D. Near-infrared spectroscopy, 615
Randhawa, N., Semenov, R.A. and Patel, A. Coaxial breathing system outer tube occlusion: what goes in must come out, 716
Randhawa, N., Semenov, R.A., Patel, A., de Boer, H.D., van Diejen, D., Gielen, M.J.M. and Ensink, R.J. Management of mobile laryngeal tumours, 721
Rao, M.P., Boralessa, H., Morgan, C., Soni, N., Goldhill, D.R., Brett, S.J., Boralessa, H. and Contreras, M. Blood component use in critically ill patients, 530
Rao, M.P. *see* Boralessa, H.
Raper, S., Milanov, S. and Park, G.R. The cost of multicompartment 'big bag' total parenteral nutrition in an ICU, 96
Ratnalikar, V., Mangat, P.S. and Earnshaw, G. A case of aortoacaval fistula - biochemical and haemodynamic changes, 831
Ratnasabapathy, U., Allam, S. and Souter, M.J. Evaluation of an expired fraction carbon dioxide monitor, 900
Read, D. *see* Fisher, L.
Read, D. *see* Mallick, A.
Read, D. *see* Tate, A.M.
Reade, M. Resuscitating academic anaesthesia – or trying to breathe life into a dead corpse?, 1214
Reddy, M.B. Can propofol cause keratitis?, 206
Reddy, M.B. Pneumocoele following psoas compartment block, 938
Reddy, R. and Thacker, A.J. Incorrectly colour coded flow meters, 95
Redman, J.W. *see* Roberts, R.G.
Rees, S.G.O., Thurlow, J.A., Gardner, I.C., Scrutton, M.J.L. and Kinsella, s.M. Maternal cardiovascular consequences of positioning after spinal anaesthesia for Caesarean section: left 15° table tilt vs. left lateral, 15
Reilly, M.P. *see* Furness, G.
Reinelt, H. *see* Jackson, R.G.M.
Reinelt, H. *see* Schmidt, M.
Renaudin, M. *see* Lejus, C.
Renton, M.C. and Conacher, I.D. Single-lung ventilation via a double lumen tube in a patient with a tracheostomy, 197
Reynolds, K.J. *see* Owen, H.
Rhodes, A. *see* Sirker, A.A.
Ribes, P. *see* Byrne, A.J.
Rice, M., Butler, S. and Wood, M. Sevoflurane usage, 928
Rice, M., Turner, M. and Carapiet, D. The use of the laryngeal mask airway in maxillofacial surgery, 826
Richmond, M.N. *see* Sawyer, R.J.
Ridley, S. *see* Leary, T.
Ridley, S.A. Uncertainty and scoring systems, 761
Rieder, J., Keller, C., Brimacombe, J., Gruber, G., Lirk, P., Summer, G. and Amann, A. Monitoring pollution by proton-transfer-reaction mass spectrometry during paediatric anaesthesia with positive pressure ventilation via the laryngeal mask airway or uncuffed tracheal tube, 663
Rieder, J. *see* Gruber, G.
Rivault, O. *see* Lejus, C.
Rizk, M. *see* Ayoub, C.
Rizk, M.S. *see* Fischer, H.B.J.
Roberts, J. Consent issues in obstetric anaesthesia, 1232
Roberts, R.G. and Jones, R.M. Paediatric tonsillectomy and PONV – big little problem remains big!, 619
Roberts, R.G. and Redman, J.W. Etomidate, adrenal dysfunction and critical care, 413
Roberts, R.G., Morgan, P., Findlay, G.P., Quintel, M. and Frova, G. Percutaneous dilatational tracheostomy and tracheal ring rupture, 933
Roberts, R.G. *see* Vick, T.L.
Robertshaw, H.J., Hall, G.M., Galley, H.F., Yassen, K. and Webster, N.R. Metalloproteinase-9 in critically ill patients, 84
Robinson, B. *see* Merry, A.F.
Robinson, S. *see* Beringer, R.
Robson, W.P. and Hutchinson, S. House Officers and the sick ward patient, 611
Roche, A.M., James, M.F.M., Grocott, M.P.W. and Mythen, M.G. Coagulation effects of *in vitro* serial haemodilution with a balanced electrolyte hetastarch solution compared with a saline-based hetastarch solution and lactated Ringer's solution, 950
Rocheteau, M. Gas analyser connector, 100
Rodrigo, N. *see* Attygalle, D.
Roe, J.A. *see* Boumphrey, S.
Rose, M.A. and Kam, P.C.A. Gabapentin: pharmacology and its use in pain management, 451
Rosival, V. Protective effects of acidosis, 502
Roth, S. *see* Müller, M.
Rucklidge, M.W.M., Durbridge, J., Barnes, P.K. and Yentis, S.M. Glycopyrronium and hypotension following combined spinal-epidural anaesthesia for elective Caesarean section in women with relative bradycardia, 4
Rucklidge, M.W.M., Orlikowski, C.E.P. and Ling, A. Misleading epidural catheter gauge, 517
Rucklidge, M.W.M. *see* Mandal, N.G.
Rucklidge, M.W.M. *see* Wright, D.A.
Ruokonen, E.T. *see* Niskanen, M.M.
Rushman, S.C. *see* Howell, T.K.
Russell, G.N. *see* Agnew, N.M.
Russell, W.C. *see* Parker, J.L.
Ruth, M.J. Pressure changes in tracheal tube cuffs at altitude, 825
Ryan, D.W., Weldon, O.G.W. and Kilner, A.J. Nasopharyngeal airway continuous positive airway pressure: a method to wean from or avoid mechanical ventilation in adults, 475

© 2002 Blackwell Publishing Ltd

Saeed, N. *see* Pandit, J.J.
Saitoh, Y., Kaneda, K. and Murakawa, M. The effect of ulinastatin pre-treatment on vecuronium-induced neuromuscular block in patients with hepatic cirrhosis, 218
Sakamoto, J. *see* Rahman, M.
Sale, S. and McSwiney, M. Blood transfusion in patients with cardiac disease, 820
Salihoglu, Z., Dikmen, Y., Demiroluk, S., Hamzaoglu, I. and Paksoy, M. Oral aphthous ulcers after difficult intubation in a patient with Behcet's disease, 620
Sampathkumar, S. Epidural catheter, 304
Samra, G.S. *see* Jackson, R.G.M.
Samuel, T. *see* Thant, M.
Sanders, D.J. *see* Sweeting, C.J.
Sanders, J.C. Analysis of Internet usage by anaesthesia trainees in the UK and the USA, 519
Sanders, M.K. and Michel, M.Z.M. Acute Pain Services – how effective are we?, 927
Santhanam, V. *see* Wilson, A.W.
Saqr, L. and Barke, K. The effect of geography on disease prevalence, 1028
Sarang, K. *see* Choyce, A.
Sarang, K. *see* Sodhi, V.
Sardesai, A.M., Brown, N.M. and Menon, D.K. Deliberate release of biological agents, 1067
Sata, T. *see* Kawasaki, T.
Saunders, D. Which fluid is best?, 1242
Sawamura, S. *see* Obara, M.
Sawyer, R.J., Turnbull, D., Richmond, M.N., Hamnegard, C.H. and Mills, G.H. Assessment of diaphragm function after stellate ganglion block using magnetic stimulation, 70
Schindler, E. *see* Müller, M.
Schirmer, U. *see* Schmidt, M.
Schmelzle-Lubiecki, B. *see* Pandit, J.J.
Schmidt, A.P. *see* Caumo, W.
Schmidt, M., Marx, T., Papp-Jambor, C., Schirmer, U. and Reinelt, H. Effect of xenon on cerebral autoregulation in pigs, 960
Schmidt, M. *see* Jackson, R.G.M.
Schobersberger, W. *see* Gruber, G.
Scholey, A. *see* Girdler, N.M.
Schürholz, A. *see* Müller, M.
Scott, D.H.T. *see* Moise, S.F.
Scott, S. *see* Tordoff, S.G.
Scott, S.H. and Herodes, V. Two-stripe Tuohy, when too deep?, 1144
Scrutton, M.J.L. *see* Rees, S.G.O.
Seed, P.T. *see* Ashworth, H.L.
Segar, E.P. Cricoid pressure application by intensive care nurses, 184
Sehgal, A. and Hall, J.E. Editorial 1 Herbal Medicines – Harmless or Harmful?, 947
Sellen, A.J. *see* Byrne, A.J.
Sellers, W.F.S. *see* Bhogal, H.
Sellers, W.F.S. *see* Dollman, M.
Sellers, W.F.S. *see* Nalwaya, P.
Sellers, W.F.S. Gum elastic bougies, 289
Sellors, J.E., Cyna, A.M. and Simmons, S.W. Aseptic precautions for inserting an epidural catheter: a survey of obstetric anaesthetists, 593
Semenov, R.A. *see* Randhawa, N.
Sessler, D.I. *see* Taguchi, A.
Severn, A.M. *see* Harding, S.A.
Shah, A. *see* White, S.M.
Shamir, M., Peruansky, M., McCluskey, A. and Gwinnutt, C.L. Evaluation of the Pneupac Ventipac portable ventilator in critically ill patients 2, 296
Shankar, R. and Navapurkar, V.U. Blame it on the surgeons, 88
Shankar, R. Can we be more polite?, 1044
Shankar, R. Measurement of systemic oxygen uptake during low-flow anaesthesia with a standard technique vs. a novel method, 1136
Shannon, P.E. Enjoying champagne, 730
Sharma, A., Elliot, S. and Mallick, A. Kinking of a long tracheostomy tube can present as severe acute asthma, 1238
Sharma, N. *see* Taguchi, A.
Shepherd, J.H. *see* Wilkinson, D.J.
Shigematsu, A. *see* Kawasaki, T.
Shih, H.C. *see* Tan, P.-H.
Shimoda, O. and Yoshitake, A. Stylet for reinforced laryngeal mask airway, 1140
Shinde, S. *see* Earl, D.S.
Shingu, K. *see* Asai, T.
Shirley, P.J. and Pogson, D.G. Air ambulance transfers and patient deterioration, 83
Short, J.a. *see* Webster, L.K.
Short, T.G. *see* Bergman, I.J.
Shorten, G. *see* Panadero, A.
Shorthouse, A. *see* Turnbull, D.
Sia, A.T. *see* Wildsmith, J.A.W.
Sia, A.T.H. *see* Loke, G.P.Y.
Sicinski, M.A. and Kadam, U. Monitoring of the anaesthetic volatile agent may be impaired in hydrocarbons abusers, 510
Simmons, S. *see* Cyna, A.
Simmons, S.W. *see* Sellors, J.E.
Sinclair, C.J. *see* Moise, S.F.
Sinclair, S. *see* Kannan, S.
Singh, A. *see* Narula, N.
Singh, B. and Chugh, V. An unusual complication of suction through the tracheal tube, 718
Singh, B. Take off of the pilot tube on the laryngeal mask, 506
Singh, S. Nasal endoscopy prior to nasotracheal intubation, 291
Singh, S. Off-pump coronary artery surgery, 1219
Sinton, I. *see* Amin, M.
Sirker, A.A., Rhodes, A., Grounds, R.M. and Bennett, E.D. Acid–base physiology: the 'traditional' and the 'modern' approaches, 348
Sivagnanam, T. All in the name of progress, 715
Skinner, A. *see* Kerr, J.
Slater, R.M. and Cooper, J. The Big Mac® test, 838
Smith, A. *see* Prasad, V.
Smith, A.F. *see* Fairfield, M.
Smith, C., Flynn, C., Wardall, G. and Broome, I.J. Leakage and absorption of isoflurane by different types of anaesthetic circuit and monitoring tubing, 686
Smith, G.B. *see* Beck, D.H.
Smith, H.L. *see* Byrne, A.J.
Smith, I. *see* Cheng, C.J.C.
Smith, M. *see* Thavasothy, M.
Smith, M. *see* Thulasimani, M.
Smith, N. and McLoughlin, L. Medical training, 1029
Smith, R.P.R. and McArdle, B.H. Pressure in the cuffs of tracheal tubes at altitude, 374
Smith, S. *see* Howell, T.K.
Soar, J., Fouque, C. and Goodman, N. Sharp packaging, 836

© 2002 Blackwell Publishing Ltd

Sodhi, V., Sarang, K., Fernando, R., Coe, A.J., Isaac, R. and Hornsby, V.P.L. False positive epidural catheter aspiration tests in CSE, 98
Soni, N. *see* Boralessa, H.
Soni, N. *see* Horowitz, P.E.
Soni, N. *see* Rao, M.P.
Sood, D. *see* Narula, N.
Souter, M.J. *see* Ratnasabapathy, U.
Spence, A., Moran, C. and Gardiner, J. Oxytocin during Caesarean section A. Spence, 722
Spencer, R. Just who do they think we are?, 208
Sprigge, J. *see* Pirotta, D.
Sprigge, J.S. Sir Humphry Davy; his researches in respiratory physiology and his debt to Antoine Lavoisier, 357
Srikanth, K. Yet another foreign body in a laryngeal mask airway, 189
Stacey, M. *see* Farley, C.
Stacey, M. *see* Latto, I.P.
Stacey, M.R. *see* Cossham, P.S.
Standl, T.G. *see* Burmeister, M.A.
Stanley, I.R., Laurence, A.S. and Hill, J.C. Disappearance of intraperitoneal gas following gynecological laparoscopy, 57
Steiner, L.A., Chatfield, D.A., Donovan, T., Coles, J.P. and Menon, D.K. Assessment of the Caradyne WhisperFlow™ for administration of continuous positive airway pressure in a 3 Tesla magnetic resonance scanner, 470
Stevenson, M.A. *see* Bedi, A.
Stewart, A. and Lindsay, W.A. Bilateral hypoglossal nerve injury following the use of the laryngeal mask airway, 264
van Stolk, M.A. *see* van Delden, P.G.
Stone, A.G.H. and Howell, P.R. Use of the common gas outlet for the administration of supplemental oxygen during Caesarean section under regional anaesthesia, 690
Stone, J. Anaesthesia and the oral contraceptive pill, 622
Story, D. *see* Laffey, J.G.
Story, D.A., Poustie, S. and Bellomo, R. Estimating unmeasured anions in critically ill patients: Anion-gap, base-deficit, and strong-ion-gap, 1109
Strike, P. *see* Thomas, R.
Stringer, K.R., Bajenov, S. and Yentis, S.M. Training in airway management, 967
Sturgess, J.E. and Matthews, P.C. Unusual cause of circuit failure, 616
Summer, G. *see* Rieder, J.
Sutherland, P.D. *see* Brownlow, H.A.
Sweeney, B.P. *see* Elcock, D.H.
Sweeting, C.J., Dow, A.C., Lockey, D.J. and Black, J.J.M. Emergency physicians: additional providers of appropriate emergency anaesthesia?, 1217
Sweeting, C.J., Thomas, P.W. and Sanders, D.J. The long Bain breathing system: an investigation into the implications of remote ventilation, 1183
Symons, I.E. Cannabis smoking and anaesthesia, 1142

Tackaberry, C. *see* Conway, D.H.
Taguchi, A., Sharma, N., Ali, S.Z., Dave, B., Sessler, D.I. and Kurz, A. The effect of auricular acupuncture on anaesthesia with desflurane, 1159
Tait, I. *see* Levack, I.
Taj, J. *see* Panadero, A.
Tan, B.S. *see* Cheng, C.J.C.
Tan, C.H., Onisong, M.K. and Chiu, W.K.Y. The influence of induction technique on intubating conditions one minute after rocuronium administration: a comparison of propofol-ephedrine combination and propofol, 223
Tan, H.L., Liew, Q.Y., Loo, S. and Hawkins, R. Severe hyperphosphataemia and associated electrolyte and metabolic derangement following the administration of sodium phosphate for bowel preparation, 478
Tan, K.H.S. *see* Dhara, S.S.
Tan, K.H.S. *see* Tan, T.S.
Tan, P.-H., Yang, L.C., Shih, H.C., Lin, C.R., Lan, K.C. and Chen, C.S. Combined use of esmolol and nicardipine to blunt the haemodynamic changes following laryngoscopy and tracheal intubation, 1208
Tan, T.S., Tan, K.H.S., Ng, H.P. and Loh, M.W. The effects of hypertonic saline solution (7.5%) on coagulation and fibrinolysis: an *in vitro* assessment using thromboelastography, 644
Tate, A.M., Asumang, A., Read, D. and Fisher, L. Percutaneous tracheostomy and microlaryngeal tubes, 934
Taylor, A.F. Arterial line insertion, 826
Taylor, B.L. *see* Beck, D.H.
Taylor, I.R., Bullough, A.S., van Hamel, J.C.M. and Campbell, D.N.C. Partner anxiety prior to elective Caesarean section under regional anaesthesia, 600
Thacker, A.J. *see* Reddy, R.
Thant, M. and Samuel, T. Posterior tracheal wall tear with PercuTwist™, 507
Thavasothy, M., Broadhead, M., Elwell, C., Peters, M. and Smith, M. A comparison of cerebral oxygenation as measured by the NIRO 300 and the INVOS 5100 Near-Infrared Spectrophotometers, 999
Thomas, D.I. *see* Joshi, P.
Thomas, J. *see* Chambers, N.
Thomas, M. *see* Medlock, K.
Thomas, M. *see* Wise, H.
Thomas, P. *see* Wee, M.Y.K.
Thomas, P.W. *see* Sweeting, C.J.
Thomas, R., Jones, N.A. and Strike, P. The value of risk scores for predicting postoperative nausea and vomiting when used to compare patient groups in a randomised controlled trial, 1119
Thompson, J.P. *see* Parker, J.L.
Thoms, G.M.M. *see* McHugh, G.A.
Thomson, K.D.T A use for combined spinal epidural anaesthesia at last!, 618
Thorne, G. *see* Watters, M.
Thorpe, C.M. Plastic in the anaesthetic circuit, 85
Thulasimani, M., Ramaswamy, S., Hirsh, N. and Smith, M. The role of paraldehyde and lidocaine in the management of status epilepticus, 99
Thurlow, J.A. *see* Rees, S.G.O.
Tighe, S.Q.M. and Lönnqvist, P.A. Paravertebral block, 511
Tilbrook, L. *see* Choyce, A.
Till, C.B.W. *see* Prasad, V.
Tillmans, R.J.G.H. *see* Fikkers, B.G.
Timberlake, C. *see* Choyce, A.
Tirer, S. Predicting difficult intubation 1, 613
Tomlinson, A.A. *see* O'Hare, K.
Toms, A. *see* Kumta, N.D.
Tordoff, S.G. and Scott, S. Blood contamination of laryngeal mask airways and laryngoscopes - what do we tell our patients?, 505
Toyoda, Y. *see* Toyoyama, H.
Toyoyama, H., Hirose, Y. and Toyoda, Y. When and by whom was the curved tip of a gum-elastic bougie first introduced?, 932

© 2002 Blackwell Publishing Ltd

Troy, A.M., Hutchinson, R.C., Easy, W.R. and Kenny, G.N. Tracheal intubating conditions using propofol and remifentanil target-controlled infusions, 1204
Tsen, L.C. *see* Loughrey, Y.R.
Tucker, A.T., Makings, E. and Benjamin, N. Study of a combined percutaneous local anaesthetic and nitric oxide-generating system for venepuncture, 429
Turley, A. *see* Mehta, K.H.
Turnbull, D., Farid, A., Hutchinson, S., Shorthouse, A. and Mills, G.H. Calf compartment pressures in the Lloyd-Davies position: a cause for concern?, 905
Turnbull, D. *see* Sawyer, R.J.
Turner, M. *see* Rice, M.
Turner, M. *see* Williams, M.
Twigg, S. *see* Cook, T.M.

Vadodaria, B. *see* Ghori, A.
Vadodaria, B.V *see* Davies, A.F.
Vaida, S.J. *see* Gaitini, L.A.
Vanner, R.G. *see* Clayton, T.J.
Varghese, P.K. *see* Mathews, S.
Vaughan, R.S. *see* Ahmed, S.
Vaughan, R.S. *see* Cossham, P.S.
Vaughan, R.S. *see* Latto, I.P.
Vaughan, R.S. *see* Maloney, D.G.
Vaughan, R.S. *see* Vincent, A.
Vegfors, M. *see* Ekseth, K.
Venn, P.J. *see* Ashworth, H.L.
Venn, R. *see* Jackson, M.
Venn, R.V *see* Guest, T.
Verheijen, R. *see* van Delden, P.G.
Verwiel, J.M.M. *see* Fikkers, B.G.
Vick, T.L. and Roberts, R.G. Hallucinations related to artificial ventilation in the prone position, 504
Vickers, M.D. Colour coding for syringe drug labels, 1231
Videira, R.L.R. Aseptic practice and neuraxial blockade, 1233
Vilà, R., Lloret, J., Munar, F. and Vinzo, J. Spinal anaesthesia for inguinal herniotomy in preterm infants sedated with nitrous oxide: a comparison of lumbar puncture in the lateral or sitting position, 1164
Vincent, A., Maloney, D.G., Appadurai, I.R. and Vaughan, R.S. Anions and the anaesthetist 2, 712
Vinzo, J. *see* Vilà, R.
Vohra, H.A. Training surgeons in critical care, 405
Vollerthun, M. *see* Müller, M.
Vyas, D., Inweregbu, K. and Pittard, A. Measurement of tracheal tube cuff pressure in critical care, 275

Wajer, O.J.M. *see* van Delden, P.G.
Wake, P.J. *see* Jenkins, K.
Wakeling, H. *see* Jackson, M.
Wakeling, H.G. *see* Palfreman, T.M.
Wakeling, H.G.W and Palfreman, T. The Pro-seal laryngeal mask airway, 727
Walker, C. and Perks, D. Do you know about donepezil and succinylcholine?, 1041
Walker, D. *see* MacLeod, D.M.
Walker, R.W.M. *see* Howell, T.K.
Wallace, R. *see* Girdler, N.M.
Walters, C. *see* Cheng, C.J.C.
Ward, M., Minto, G. and Alexander-Williams, J.M. A comparison of patient-controlled analgesia administered by the intravenous of intranasal route during the early postoperative period, 48
Ward, M.W *see* Hames, K.
Wardall, G. *see* Smith, C.
Watanabe, K. *see* Iwama, H.
Waterhouse, P. *see* Watters, M.
Watson, B.J. *see* Cheng, C.J.C.
Watson, D. *see* Kluger, M.T.
Watters, M. and Waterhouse, P. Percutaneous tracheostomy in morbidly obese patients, 614
Watters, M., Thorne, G., Cox, C. and Monk, C. Tracheal trauma from percutaneous tracheostomy using the Griggs method, 249
Watts, J.C. *see* Ni, K.M.
Watts, J.C.W *see* Ni, K.M.
Way, M.G. and Baxendine, C.L. The significance of post mortem tryptase levels in supporting a diagnosis of anaphylaxis, 310
Wearne, G. Non-English information on ampoules and drug package-inserts, 207
Webster, C.S., Mathew, D.J. and Merry, A.F. Effective labelling is difficult, but safety really does matter, 201
Webster, C.S. *see* Merry, A.F.
Webster, C.S. Doctors must implement new safety systems, not whinge about them, 1231
Webster, C.S. Why anaesthetising a patient is more prone to failure than flying a plane, 819
Webster, L.K., Barry, B.N. and Short, J.A. Pulse oximetry interference in paediatric neurosurgery, 83
Webster, N.R. *see* Galley, H.F.
Webster, N.R. *see* Robertshaw, H.J.
Wee, M.Y.K., Yentis, S.M. and Thomas, P. Obstetric anaesthetists' workload, 493
Wee-Kong Lim, M. The impact of training on manpower requirements as hours decrease, 1030
Weitkamp, B. *see* Leonard, I.E.
Welbury, R.R. *see* Wilson, K.E.
Weldon, O.G.W. *see* Ryan, D.W.
Weller, J. *see* Merry, A.F.
Weller, R. The champagne angle, 837
Wesnes, K.A. *see* Girdler, N.M.
Westphal, K., Lischeke, V. and Byhahn, C. Posterior tracheal wall perforation with the Blue Rhino™ tracheostomy set, 89
Wheeler, M.H. *see* Ahmed, S.
White, J. *see* Atkins, M.
White, S.M. and Baldwin, T. Miss B, 818
White, S.M. and Baldwin, T.J. The Human Rights Act 1998: implications for anaesthesia and intensive care, 882
White, S.M. and Shah, A. Sezary syndrome, 836
White, S.M. Anaesthesia for percutaneous vertebroplasty, 1229
White, S.M. Cannabis abuse and laryngospasm, 622
White, S.M. Withholding and withdrawing life-prolonging treatments, 1216
Whiteside, J.B. *see* Grimsehl, K.
Whiting, P. and Bryden, D. When is a white cell count not a white cell count?, 714
Whymark, C.W and Wilson, J. An uncommon cause of pacemaker malfunction, 728
Wierda, J.M.K.H. *see* De Haes, A.
van Wijk, M.G.F. *see* Lechner, T.J.M.
Wilden, J. Critical incident involving the Draeger Cato ventilator, 930
Wildsmith, J.A.W., Sia, A.T., Loke, G.P. and Chan, E.H. Head-up tilt and subarachnoid block, 617
Wildsmith, J.A.W. Alternative coupling systems for regional anaesthetic equipment, 726

© 2002 Blackwell Publishing Ltd

Wilkes, A.R. Measuring the filtration performance of breathing system filters using sodium chloride particles, 162
Wilkes, A.R. The ability of breathing system filters to prevent liquid contamination of breathing systems: a laboratory study, 33
Wilkes, R.G. *see* Loughrey, Y.R.
Wilkinson, D. and Curtis, C. A strange leak from the anaesthetic machine, 1038
Wilkinson, D.J. and Gallagher, L. The Gallagher–Wilkinson reflex, 1220
Wilkinson, D.J. and Shepherd, J.H. Keep calf compression in the Lloyd-Davies position, 609
Williams, D.J., Kelleher, A.A. and Cook, S. Defective nasopharyngeal temperature probes, 1223
Williams, M. and Turner, M. Blame the surgeon!, 1230
Williams, M. Syringe identification in the emergency situation, 100
Williamson, R. Nasal intubation and epistaxis, 1033
Wills, J.S., Bowie, R. and Bogod, D.G. A pilot study of patient-led identification of the midline of the lumbar spine, 390
Wilson, A.W., Macpherson, D., Santhanam, V. and Edwards, R. An unexpected complication resulting from the use of a laryngeal mask during an operation to remove a branchial cyst, 190
Wilson, J. *see* Whymark, C.W
Wilson, K.E., Welbury, R.R. and Girdler, N.M. A randomised, controlled, crossover trial of oral midazolam and nitrous oxide for paediatric dental sedation, 860
Wintruff, M. *see* Burmeister, M.A.
Wise, H. and Thomas, M. Elderly anaesthesia as part of a multidisciplinary team, 926
Wise, H.. Experience of complications of percutaneous dilatational tracheostomy, 195
Wise, H.J. ABC: back to basics with anaesthetic breathing components, 86
Wolff, A.H. *see* Chapman, M.V.
Wood, M. *see* Rice, M.
Woollam, C.H.M. The Sister Anaesthetists of Norwich, 984
Wrench, I. *see* Bryden, D.
Wrench, I. *see* Furlonger, A.
Wright, D.A. and Rucklidge, M.W.M. A new angle on a Tuohy needle, 309
Wright, I. Protection from packaging, 1221
Wright, M. *see* Leary, T.
Wulf, H. *see* Eberhart, L.H.J.

Yang, L.C. *see* Tan, P.-H.
Yanovski, B. *see* Gaitini, L.A.
Yarrow, S. and Bowyer, D. An unusual case of thrombocytopaenia, 623
Yassen, K. *see* Robertshaw, H.J.
Yassin, J. and Groba, C.B. Tracheostomy pilot tube failure, 730
Yentis, S. *see* Nath, G.
Yentis, S.M. *see* Bray, J.K.
Yentis, S.M. *see* Das, S.
Yentis, S.M. *see* Kristensen, M.
Yentis, S.M. *see* Mandal, N.G.
Yentis, S.M. *see* May, A.E.
Yentis, S.M. *see* Rucklidge, M.W.M.
Yentis, S.M. *see* Stringer, K.R.
Yentis, S.M. *see* Wee, M.Y.K.
Yentis, S.M. Predicting difficult intubation – worthwhile exercise or pointless ritual, 105
Yoshitake, A. *see* Shimoda, O.

Zafar, N. Positioning for radial artery cannulation, 942
Zorab, J. History of anaesthesia, 1242
Zorab, J.S.M., Carter, J.A. and McAteer, P. Nitrous oxide, 82

Keyword index

Acid base balance: Stewart; Henderson and Hasselbalch, 348
Acid–base equilibrium: anion gap, 140
Acid–base measurement, 1109
Acoustic signal, 768
Acupuncture: auricular, 1159
Adrenergic beta-antagonists, 399
Adverse effects: convulsions, 1187
Airway: obstruction; suction, 40
Airway: obstruction, 581
Altitude, 374
Anaesthesia, 76, 176, 488, 882, 889, 1083
Anaesthesia recovery period, 1060
Anaesthesia techniques, 877
Anaesthesia, anaesthetic techniques: general and spinal anaesthesia, 1168
Anaesthesia, local: topical, lidocaine, 429
Anaesthesia, regional: epidural; spinal, 266
Anaesthesia, techniques: closed-loop control, 693
Anaesthesia: cricoid pressure, simulation, 1098
Anaesthesia. airway, ventilation, simulation, 967
Anaesthesia: cardiovascular, 676, 756
Anaesthesia: cricoid pressure, 326
Anaesthesia: dental, 281, 446
Anaesthesia: desflurane, 1159
Anaesthesia: drug administration error, 256
Anaesthesia: equipment; tubes tracheal, 1195
Anaesthesia: inhalation circulation; cerebral, 960
Anaesthesia: obstetric, regional, 600
Anaesthesia: obstetric; spinal, 15
Anaesthesia: obstetric, 4, 66, 169, 266, 690
Anaesthesia: outpatient, 52, 805, 860
Anaesthesia: paediatric, 173
Anaesthesia: quality assurance, anaesthesia; resource utilisation; hospital mortality, 1052
Anaesthesia: regional, 385
Anaesthesia: spinal, 1164

© 2002 Blackwell Publishing Ltd

Anaesthesia: urological, 877
Anaesthesia; obstetric, 493
Anaesthetic agents: ether, 463
Anaesthetic drug delivery: epidural, medical devices, patient safety, spinal, 567
Anaesthetic gases: xenon, 960
Anaesthetic technique, regional: combined spinal-epidural, 4
Anaesthetic techniques, regional: epidural, 593
Anaesthetic techniques, regional: spinal, 66
Anaesthetic techniques: epidural, 1007
Anaesthetic techniques: infusion, 27
Anaesthetic techniques: inhalation, 110
Anaesthetic techniques: intravenous regional, 535
Anaesthetic techniques: intravenous, regional, 319
Anaesthetic techniques: intravenous, 1204
Anaesthetic techniques: low-flow, 654
Anaesthetic techniques: regional, 690, 995
Anaesthetic techniques: spinal, subarachnoid, epidural, 277
Anaesthetic techniques: spinal, 169, 1007
Anaesthetic, gases: nitrous oxide, 27
Anaesthetic, local: bupivacaine, 169
Anaesthetic, local: ropivacaine, 424
Anaesthetic: obestetric, 593
Anaesthetics: inhalational; sevoflurane, 1115
Anaesthetics, gases: nitrous oxide, 736
Anaesthetics, gases: trace concentrations, 747
Anaesthetics, intravenous: propofol, 27, 242, 387, 557, 649, 693, 956, 1204, 1115
Anaesthetics, local: bupivacaine, 281, 1164
Anaesthetics, local: Levobupivacaine, 1187
Anaesthetics, volatile: isoflurane; desflurane, 110
Anaesthetics, volatile: isoflurane; sevoflurane, 52
Anaesthetics, volatile: isoflurane, 686
Anaesthetics, volatile: sevoflurane, 44, 446, 736, 855
Anaesthetics, volatile: trace concentrations, 747
Anaesthetics, volatile: isoflurane, 338
Anaesthetics: *gases*; xenon, nitrous oxide, 233
Anaesthetics: gases; nitrous oxide, 860
Anaesthetics: intravenous, propofol, 223
Anaesthetics: *local*; lidocaine, 399
Anaesthetics: nitrous oxide, 1155
Anaesthetics: volatile; sevoflurane, 212
Analgesia: patient-controlled; postoperative, 48
Analgesia: patient-controlled, 705
Analgesia: postoperative continuous epidural, 424
Analgesia: postoperative, 535
Analgesia; postoperative, patient-controlled, 484
Analgesic drugs; opioids, remifentanil, 133
Analgesic technique: epidural, 778
Analgesics: alfentanil, 540
Analgesics: fentanyl, remifentanil, 877
Analgesics: fentanyl, 266
Analgesics: ketorolac, 535
Analgesics: morphine morphine-6-glucuronide, 1200
Analgesics: morphine, 740
Analgesics: remifentanil, 212, 1204
Analgesics; opioid, morphine, ketamine, 484
Anatomy: cricoid cartilage, 909
Anatomy: respiratory muscles; diaphragm, 70
Anatomy: vertebral column, 277
Anatomy; cricoid cartilage, pressure, 123
Anatony: neck movements, 402
Anatony: epidural space, lumbar vertebrae, 390
Anions: chloride; fluoride; bromide; phosphates; sulphates; albumin; lactate, 140
Antagonists: benzodiazepine, 868
Anti-emetics: cyclizine; ondansetron, 61
Anti-emetics: dexamethasone, 705
Anxiety, 600
APACHE II evaluation: Cost analysis, TISS, 434
Apparatus: Morton's inhaler, 463
Aviation: air ambulances, 374

Bioterrorism: critical illness; deliberate release, 1067
Blood pressure: hypertension, 227
Blood pressure: pulmonary; hypertension, 9
Blood, flow: splanchnic, 756
Blood: coagulation, 950
Brain: blood flow, 27
Brain: electroencephalography, 242
Brain: oxygenation, 999
Brain; oxygen consumption, 1016
Breathing systems, ventilation; mechanical, 33
Butyrophenones: haloperidol, 1022

Caesarean section, 690
Calcium-channel blockers: nicardipine, 1208
Capnography: portable, 900
Cardiac output measurement: thermodilution; thermal noise, 562
Catheterisation: peripheral venous, complications, thrombophlebitis, 921
Central vein cannulation, 365
Coagulation: haemodilution; thromboelastography, 1102
Coagulation study: thromboelastography, 644
Complications, 52, 793, 889
Complications: arrest, cardiac, 659
Complications: awareness, 549
Complications: hypoglossal nerve palsy, 264
Complications: hypotension, 4
Complications: infection, 593
Complications: intubation; tracheal, 173
Complications: needlestick injuries, 572
Complications: obesity, 180
Complications: pneumoperitoneum, 57
Complications: postoperative, 1060
Complications: sore throat, 155
Complications; cross-infection, 33
Complications; respiratory depression, delayed recovery, 133
Computed tomography: critical illness, 544
Conscious sedation, 446
Consent, 1012

Data collection: questionnaire, 697
Data collection: medical records, 1174
Delivery: Caesarean section, 600
Diagnostic techniques: cardiac output, oesophageal Doppler ultrasonography, 845
Drug administration: intranasal; diamorphine, 48
Drug administration: intrathecal morphine, 1168
Drug interactions, 889, 1083
Drug toxicity, 1083
Drug: phenylephrine; norepinephrine, 9

Education: medical/methods, 967, 1098
Education: residents, 76, 176

© 2002 Blackwell Publishing Ltd

Enzymes: pseudocholinesterase, 44
Epidural blockade, 768
Equipment, 850
Equipment, catheters: intravenous, arterial, 572
Equipment: anaesthesia circuits, 686
Equipment: breathing systems, 1183
Equipment: breathing sytems, 690
Equipment: filter, 557
Equipment: heat and moisture exchange filters, 33, 162
Equipment: laryngeal mask airway, tracheal tube, 663
Equipment: laryngeal mask airway, 264, 918, 956, 967
Equipment: laryngoscopes, 773
Equipment: needles, 572, 1007
Equipment: nerve stimulator, 995
Equipment: syringes, 793
Equipment: tracheal tube; laryngeal mask airway, 155
Equipment: tracheal tubes; cuffs, 374
Equipment: tracheal tubes, 399
Equipment: ultrasound machines, 365
Equipment: fibreoptic laryngoscope, laryngeal mask airway, 128
Equipment: fibreoptic laryngoscope, 123
Equipment: gum elastic bougie, 379
Equipment: laryngeal mask airway, 330
Eye: reflexes, 855

Fluid balance: intravenous fluids, 950
Fluid balance, 756

Gastrointestinal tract, 478

Haemodynamics, 15
Haemoglobinopathies: sickle cell, 334
Health personnel; medical staff, 493
Heart: myocardial function, 659
Heart: cardioversion, 1115
Heart: coronary occlusion, ischaemia, myocardial function, blood flow (myocardial), 338
Hernia: inguinal, 1164
History: Humphry Davy, 357
Hormones, 319
Human Rights Act, 882
Hypnotics: benzodiazepines, midazolam, 649
Hypnotics: benzodiazepines; midazolam, 860, 868
Hypothermia; induced, 1016

Imaging techniques: ultrasonography, 277
Impedence respirometry, 1090
Infant: premature, 1164
Infection control: sterilisation, 773
Infection, bacterial: viral; *Mycobacterium tuberculosis*, 162
Infusions: intravenous, 921
Injections: intravenous, 921
Intensive care, 751
Intensive care, 882
Intubation: tracheal, oesophageal, 1090
Intubation tracheal: submental; complications, 1195
Intubation, tracheal: difficult, 909
Intubation, tracheal: fibreoptic, 967, 1012
Intubation, tracheal, 123, 128, 330, 379
Intubation: tracheal complications, 227
Intubation: tracheal, 223, 1208
Investigations: magnetic response imaging, 470
Investigations: pre-operative, 914

Larynx: laryngoscopy, 773
Liver disease: cirrhosis, 218
Liver transplantation, 1128
Loss of resistance, 768
Lung; function, 357

Measurement techniques: Doppler ultrasound, 27
Measurement techniques: electrodes; oxygen, 110
Measurement techniques: infra-red, 999
Measurement techniques: pain, 740
Measurement techniques: respirometry, 540
Measurement techniques: TEG, 950
Measurement techniques, 855, 1183
Measurement, techniques: Bispectral Index, 693
Medical informatics; anaesthetic records, XML, 1174
Medical law, 882
Medicine, herbal: Chinese, 1083
Medicine: herbal, 889
Memory, 868
Monitoring, 850
Monitoring: cardiac ouput, 845
Monitoring: evoked potentials, 736
Monitoring: neuromuscular function, 218
Monitoring: oxygen, 999
Monitoring: physiologic, 1128
Mortality probability: APACHE II; APACHE III; SAPS II; low-risk admissions, 21
Muscular diseases: compartment syndrome, 905

Nasopharyngeal airway: continuous positive airway pressure, 475
Nausea and vomiting: postoperative, 61
Neck injuries, 918
Nervous system: stellate ganglion; phrenic nerve, 70
Neuromuscular disease: myotonic dystrophy, 385
Neuromuscular relaxants: rocuronium, 223
Neuromuscular relaxants: vecuronium, 218
Neurosurgery, 399
Neurosurgical procedures: craniotomy, 399
Nitric oxide, 429

Operating rooms, 850
Opioids: sufentanil, 424
Outcome and process assessment, 1060
Outcome prediction; uncertainty, 761
Oximetry, 442
Oxygen consumption: measurement, 654
Oxygen: delivery systems, 690
Oxygen: supplementary, 66
Oxygen: tension, 110

Pain, 557
Pain postoperative, 57, 271, 484, 705
Pain: measurement, 740
Pain: neuropathic, 451
Pain: post-operative, 1168
Parasympathetic nervous system: glycopyrronium, 4
Patient assessment: pre-operative, 334
Patient care: pre-operative care, 697
Performance, 751
Permanent vegetative state: bispectral index, monitoring, 1190
Personality assessment: personality testing, 116
Personnel management: workload, 493
Pharmacology: gabapentin, 451

© 2002 Blackwell Publishing Ltd

Photoplethysmography: reflectance, 442
Pollution, 1155
Postoperative analgesia: epidural, 701
Postanaesthetic shivering, 394
postoperative, 1060
Postoperative care, 778
Postoperative period: anaesthesia recovery period, 488
Postoperative period: nausea and vomiting, 1119
Posture, 15
Posture: head-down tilt, 905
Premedication: children; oral transmucosal fentanyl; midazolam, 798
Procedures: venepuncture, 429
Professional competence: clinical competence, 176
Professional patient relations: physician patient relations, 697
Prospective randomised study, 256
Psychological testing, 116

Receptors: adrenergic, 227
Recovery, 212, 855
Recovery room , 1060
Regional anaesthesia, 369
Replacement fluids: hypertonic saline, normal saline, 644
Risk management, 1060

Safety, 805
Safety: systems; risk management; cognition, 256
SAPS II: customisation; prognostic models; recalibration, 785
Scoring systems, 1119
Sedation, 394
Sedation: target-controlled, 385
Sedation; patient-controlled, 387
Spectrum analysis, mass: proton-transfer-reaction, 663
Steroids: dexamethasone, 1022
Surgery, 478
Surgery, obstetric: Caesarean section, 4
Surgery: abdominal, 110
Surgery: bowel, 845
Surgery: Caesarean section; elective, 66
Surgery: cardiac, 654, 659
Surgery: cardiovascular, 676, 756
Surgery: dental, 446, 860
Surgery: gynaecological, 740
Surgery: laparoscopy, 57, 1168
Surgery: orthopaedic, 319, 535
Surgery: thoracotomy, 701
Surgery: thyroidectomy, 582
Surgery; cardiovascular, 1016
Surgery; paediatric, neurosurgical, 133
Sympathetic nervous system: α adrenergic antagonists, esmolol, 1208
Sympathetic nervous system: agonists, 227
Sympathetic nervous system: pharmacology, ephedrine, 223
Syringe pump, 369

Tetanus: magnesium, 811
Tourniquet: cardiorespiratory effects, 588
Tracheal intubation, 155
Tracheal tube: cuff pressure, 275
Tracheostomy: percutaneous, dilational, complications, 1094
Tracheostomy, percutaneous: Griggs technique, safety, 249
Tracheostomy: airway management, 253
Tramadol, 394
transcranial Doppler, 960
Transfusion: red cells; platelets; fresh frozen plasma, 530
Transfusion: red cells; platelets, 584
Transtracheal jet ventilation: triple lumen catheter; monitoring, 578
Tropisetron, 1022

Venous pressure measurment: internal and external jugular veins, 596
Ventilation: continuous positive airway pressure, 470
Ventilation: hypoxia, systematic review, 632
Ventilation: intermittent positive-pressure, 663
Viscera: blood supply, 442
Vomiting, 394
Vomiting, nausea, 52
Vomiting: anti-emetics, nausea, incidence, 1022
Vomiting: incidence, nausea, 1200
Vomiting: nausea, 705

© 2002 Blackwell Publishing Ltd